

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Date of issue: 06/08/2015 Version: 2.

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Eclipse ETQ® Turf Fungicide

Synonyms: 3-(3,5 -dichlorophenyl)-N-(1-methylethyl)-2,4-dioxo-1-imidazolinecarboxamide, iprodione

Other means of identification: EPA Reg. No. 60063-51

1.2. Intended Use of the Product Use of the substance/mixture: Fungicide

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Sipcam Agro USA, Inc.

2525 Meridian Parkway, Suite 350

Durham, NC 27713 T 919-226-1195

1.4. Emergency Telephone Number

Emergency Number : (800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison

Control Center (human health) (800) 345-4735 ASPCA (animal health)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Skin Sens. 1 H317
Carc. 2 H351
Aquatic Acute 1 H400
Aquatic Chronic 1 H410
Full text of H-phrases: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H317 - May cause an allergic skin reaction.

H351 - Suspected of causing cancer. H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing mist, spray, vapors.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment. P280 - Wear eye protection, protective gloves. P302+P352 - If on skin: Wash with plenty of water.

P308+P313 - If exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national,

EN (English US) 1/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

and international regulations.

2.3. Other Hazards

No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product Identifier | % | Classification (GHS-US) |
|---|----------------------|---------------|---|
| Iprodione | (CAS No) 36734-19-7 | 23.3 | Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Titanium Dioxide | (CAS No) 13463-67-7 | Trade Secret | Respiratory |
| 1,2-Propylene glycol | (CAS No) 57-55-6 | <u><</u> 5 | Not classified |
| Silica, amorphous, precipitated and gel | (CAS No) 112926-00-8 | <1 | Not classified |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. **First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Skin sensitization. May cause cancer. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

Symptoms/Injuries After Inhalation: Inhalation of vapors may cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic reaction in sensitive individuals. May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: May cause cancer.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, carbon dioxide, dry chemical, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Do not allow run-off from fire fighting to enter drains or water courses. De-contaminate equipment or

materials involved in pesticide fires.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice.

EN (English US) 2/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Ventilate area.6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Collect spillage. Clean up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Storage Area: Store locked up.7.3. Specific End Use(s)

Fungicide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

| 5.1. COI | itioi raiailleteis | |
|-------------------------------|------------------------|------------------------|
| Titanium Dioxide (13463-67-7) | | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 15 mg/m³ |
| USA IDLH | US IDLH (mg/m³) | 5000 mg/m ³ |
| Propylene glycol (57-55-6) | | |
| AIHA | AIHA TWA (mg/m³) | 10 mg/m ³ |

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering Controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure all national/local regulations

are observed.

Personal Protective Equipment: Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection.







Hand Protection : Wear chemically resistant protective gloves.

Eye Protection : Chemical goggles or safety glasses.

Skin and Body Protection : Long sleeved cotton shirt buttoned at collar.

Respiratory Protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: Off whiteOdor: Mild

Odor Threshold : No data available

EN (English US) 3/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 5.94 @25°C pН **Evaporation Rate** : No data available **Melting Point** : No data available **Freezing Point** No data available : 100 °C (212 °F) **Boiling Point Flash Point** : Not applicable : No data available **Auto-ignition Temperature Decomposition Temperature** : No data available Flammability (solid, gas) : Not applicable **Vapor Pressure** : No data available Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

Specific Gravity: 1.34Specific gravity / density: 9.14 lb/gal

Solubility: Water: DispersiblePartition Coefficient: N-Octanol/Water: No data availableViscosity: No data available

9.2. Other Information

VOC content : No data available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Product is stable.
- **10.3.** Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4. Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- 10.5. Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.
- 10.6. Hazardous Decomposition Products: Carbon oxides (CO, CO2). Chlorine. Nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

| 1,2-Propylene glycol (57-55-6) | | |
|--------------------------------|----------------|--|
| LD50 Oral Rat | 20 g/kg | |
| LD50 Dermal Rabbit | 20800 mg/kg | |
| Iprodione (36734-19-7) | | |
| LD50 Oral Rat | 3500 mg/kg | |
| LC50 Inhalation Rat | > 5.16 mg/l/4h | |

Skin Corrosion/Irritation: Not classified

pH: 5.94 @25°C

Serious Eye Damage/Irritation: Not classified

pH: 5.94 @25°C

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** Suspected of causing cancer.

| Silica, amorphous, precipitated and gel (112926-00-8) | | |
|---|----|--|
| IARC group | 3 | |
| Titanium Dioxide (13463-67-7) | | |
| IARC group | 2B | |

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: inhalation of vapors may cause respiratory irritation.

EN (English US) 4/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Skin Contact: May cause an allergic reaction in sensitive individuals. May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: May cause cancer.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

| 1,2-Propylene glycol (57-55-6) | |
|--------------------------------|--|
| LC50 Fish 1 | 51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 1 | 10000 mg/l (Exposure time: 24 h - Species: Daphnia magna) |
| LC 50 Fish 2 | 41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 2 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| Iprodione (36734-19-7) | |
| LC50 Fish 1 | 4.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| EC50 Daphnia 1 | 0.25 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Daphnia 2 | 0.34 - 0.39 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through]) |
| NOEC (acute) | > 1000 mg/kg (Exposure time: 14 Days - Species: Eisenia foetida [soil dry weight]) |

12.2. Persistence and Degradability

| Eclipse ETQ® Turf Fungicide | |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| Eclipse ETQ® Turf Fungicide | |
|--------------------------------|------------------|
| Bioaccumulative Potential | Not established. |
| 1,2-Propylene glycol (57-55-6) | |
| BCF fish 1 | <1 |
| Log Pow | -0.92 |
| Iprodione (36734-19-7) | |
| BCF fish 1 | 34.8 - 46.8 |
| Log Pow | 3 (at 25 °C) |

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Waste portions of this product and contaminated absorbent materials may be disposed of by incineration provided the following conditions are observed:

Incinerate in a suitable oven fed by a mixture of air and methane, at 1100-1200°C; The HCl which may form in the incinerator exhaust gas must be conveyed into an aquaeous absorption system containing 18-20% of Ca(OH)2.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Hazardous waste due to toxicity.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Iprodione)

Hazard Class : 9

Identification Number: UN3082Label Codes: 9

Packing Group : III
ERG Number : 171
14.2. In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iprodione)

Hazard Class : 9

Identification Number : UN3082
Packing Group : III
Label Codes : 9



EN (English US) 5/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F 14.3. In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iprodione)

Packing Group : III

Identification Number : UN3082

Hazard Class : 9 Label Codes : 9 ERG Code (IATA) : 9L



SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

| Eclipse ETQ® Turf Fungicide | |
|--|--|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| | Delayed (chronic) health hazard |
| EPA FIFRA Pesticide Product Notice | This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. |
| EPA FIFRA Signal Word | Caution |
| EPA FIFRA Hazard Statements | Harmful if swallowed. Harmful if inhaled. Causes eye irritation. |
| EPA FIFRA Precautionary Statements | Avoid contact with eyes, skin and clothing. |
| 1,2-Propylene glycol (57-55-6) | |
| Listed on the United States TSCA (Toxic Substances Contr | rol Act) inventory |
| EPA TSCA Regulatory Flag | Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule. |

15.2 US State Regulations

| Iprodione (36734-19-7) | |
|--|--|
| U.S California - Proposition 65 - Carcinogens List | WARNING: This product contains chemicals known to the State of |
| | California to cause cancer. |

1,2-Propylene glycol (57-55-6)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Silica, amorphous, precipitated and gel (112926-00-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Other Information : This documer

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

GHS Full Text Phrases:

| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
|---------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Carc. 2 | Carcinogenicity Category 2 |
| Comb. Dust | Combustible Dust |

EN (English US) 6/1

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
|---------------|--|
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| | May form combustible dust concentrations in air |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H351 | Suspected of causing cancer |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

EN (English US) 7/1