



Finish[®] 6 PRO

HARVEST AID FOR COTTON

Net
Contents:

2.5 Gallons

ACTIVE INGREDIENTS:

Ethephon* (2-chloroethyl)phosphonic acid..... 52.6%

Cyclanilide** 1-(2,4-dichlorophenylaminocarbonyl)-
cyclopropane carboxylic acid..... 3.3%

OTHER INGREDIENTS: 44.1%

TOTAL 100.0%

*This product contains 6.0 pounds ethephon per gallon

**This product contains 0.375 pound cyclanilide per gallon

EPA Reg. No. 264-703

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call
24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

Please refer to booklet for additional precautionary statements and directions for use.

Produced for
Bayer CropScience LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167

FINISH is a registered trademark of Bayer Group.
©2022 Bayer Group

210224C 01/22

US61380181C

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Have person sip a glass of water if able to swallow.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.

For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Treat symptomatically. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. No specific antidote is available. Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if inhaled or absorbed through the skin. Avoid contact with skin. Causes skin irritation. Do not get in eyes on skin or clothing. Avoid breathing vapor or spray mist. Keep away from domestic animals. Avoid contamination of food.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below.

Applicators and other handlers must wear long-sleeved shirts and long pants, shoes plus socks and goggles or face shield and chemical resistant gloves made out of any waterproof material (barrier laminate, butyl rubber \geq 14 mils, nitrile rubber \geq 14 mils, neoprene rubber \geq 14 mils, natural rubber \geq 14 mils, polyethylene, polyvinyl chloride \geq 14 mils, or viton \geq 14 mils).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Wash the outsides of gloves before removing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not contaminate water used for irrigation or domestic purposes.

This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

NON-TARGET ORGANISM ADVISORY STATEMENT: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. The REI is 72 hours in areas where average rainfall is less than 25 inches per year.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water is coveralls over long-sleeved shirt and long pants, socks and chemical resistant footwear, goggles or face shield, and chemical-resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber, or butyl rubber.

Notify workers of the application by warning them orally and posting warning signs at entrances to treated areas.

SPRAY DRIFT MANAGEMENT

Aerial Applications:

- Do not release spray at a height greater than 10 feet above the vegetative canopy, unless a greater application height is necessary for pilot safety.
- For all applications, applicators are required to use a fine to medium or coarser droplet size (ASABE S572.1).
- The boom length must not exceed 65% of the wingspan for airplanes or 75% of the rotor blade diameter for helicopters.
- Applicators must use 1/2 swath displacement upwind at the downwind edge of the field.
- Nozzles must be oriented so the spray is directed toward the back of the aircraft.
- Do not apply when wind speeds exceed 10 miles per hour at the application site.
- Do not apply during temperature inversions.

Ground Boom Applications:

- Apply with the nozzle height recommended by the manufacturer, but no more than 3 feet above the ground or crop canopy.
- For all applications, applicators are required to use a fine to medium or coarser droplet size (ASABE S572.1).
- Do not apply when wind speeds exceed 10 miles per hour at the application site.
- Do not apply during temperature inversions.

Airblast Applications:

- Direct spray into the canopy.
- Turn off outward pointing nozzles at row ends and when spraying outer rows.

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

Controlling Droplet Size - Ground Boom

- **Volume** - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.
- **Pressure** - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.
- **Spray Nozzle** - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

Controlling Droplet Size - Aircraft

- **Adjust Nozzles** - Follow nozzle manufacturers' recommendations for setting up nozzles. Generally, to reduce fine droplets, nozzles should be oriented parallel with the airflow in flight.

BOOM HEIGHT- Ground Boom

For ground equipment, the boom should remain level with the crop and have minimal bounce.

BOOM-LESS GROUND APPLICATIONS

Setting nozzles at the lowest effective height will help to reduce the potential for spray drift.

RELEASE HEIGHT – Aircraft

Higher release heights increase the potential for spray drift.

SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area.

TEMPERATURE AND HUMIDITY

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

TEMPERATURE INVERSIONS

Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

WIND

Drift potential generally increases with wind speed. **AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.**

Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

PRODUCT INFORMATION

A foliar spray of FINISH® 6 Pro Harvest Aid for Cotton will accelerate opening of mature cotton bolls, promote defoliation of both mature and juvenile foliage, and reduce terminal regrowth. FINISH® 6 Pro Harvest Aid for Cotton treatment promotes earlier harvest and enhances the potential for high quality, high yield, once-over harvest. Rainfall, stress, temperature fluctuations, residual nitrogen and yield potential can affect defoliation and/or regrowth.

Spray Preparation

Add 1/2 to 3/4 of the required amount of water to the spray tank. Start agitation. Add the required amount of FINISH® 6 Pro Harvest Aid for Cotton, and the remaining amount of water. Mix only as much spray solution as can be used on the day of application. Storage and use of previous day's spray mix may result in equipment corrosion and reduced activity.

Do not spill the concentrated product on spray equipment, or any airplane parts. **ANY SPILLS SHOULD BE IMMEDIATELY RINSED WITH PLENTY OF WATER AS FINISH® 6 Pro Harvest Aid for Cotton IS CORROSIVE.** Use of a nurse tank is highly recommended for avoiding possible spills of concentrated formulation on spray equipment.

Tank Mixtures With Other Products

FINISH® 6 Pro Harvest Aid for Cotton may be applied as a tank mix or in sequential application with other harvest aid and insecticide products.

In some cases, crop conditions, such as rank growth, weed or insect infestations, drought, unutilized nitrogen, low temperature, high moisture, and heavy juvenile growth will require the inclusion of other products for

satisfactory defoliation and terminal regrowth suppression. FINISH® 6 Pro Harvest Aid for Cotton can be tank mixed or sequentially applied with other products such as DEF® 6, FOLEX® 6EC, DROPP® 50WP, HARVADE® 5F, GINSTAR®, DROPP® ULTRA™, ROUNDUP®, METHYL PARATHION 4E or 4 lb, GUTHION® 2L or 3 and MALATHION™ 57EC for use on cotton in accordance with the most restrictive of the label limitations and precautions. No label dosage rates should be exceeded. Proper mixing sequences should be followed when making a tank mix. This product cannot be mixed with any product containing a label prohibition against such mixing. Follow all applicable use precautions and rate per acre recommendations on labels of products applied as tank mixtures or in sequence with FINISH® 6 Pro Harvest Aid for Cotton. In some cases, slight reduction in boll opening response has been observed when tank mixes with phosphate defoliants were used.

FINISH® 6 Pro Harvest Aid for Cotton tank mixes with DROPP® or DROPP® ULTRA™ on picker cotton and GINSTAR® on stripper cotton will enhance regrowth suppression and removal of juvenile foliage.

Under some conditions such as high temperatures or low soil moisture, tank mixtures with products such as FOLEX®, DEF®, DROPP® ULTRA™, GINSTAR® and METHYL PARATHION may result in leaf stick or leaf burn due to increased desiccation activity. To minimize leaf stick and leaf burn occurrence under these conditions, it is important to follow local recommendations and use the lower labeled rate of the tank mix partner product(s).

Do not tank mix FINISH® 6 Pro Harvest Aid for Cotton with a desiccant if the cotton is to be spindle harvested.

Good agitation in the spray tank is essential. A tank mixture should not be allowed to stand without agitation for more than 5 to 10 minutes. Read and observe all appropriate label use directions and precautions for the defoliants used.

To improve mixing and coverage, it is recommended that FINISH® 6 Pro Harvest Aid for Cotton and tank mixtures of FINISH® 6 Pro Harvest Aid for Cotton be mixed with adjuvants and/or compatibility agents which are cleared for application on cotton. FINISH® 6 Pro Harvest Aid for Cotton should be added to the tank prior to the addition of an adjuvant. Read and observe all appropriate label use directions and precautions for the adjuvant used.

NOTE: UNDER CERTAIN CONDITIONS, TANK MIXTURES OF FINISH® 6 PRO HARVEST AID FOR COTTON WITH DESICCANTS CONTAINING SODIUM CHLORATE COULD RESULT IN THE FORMATION OF A HYPOCHLOROUS ACID WHICH ON HEATING WILL EMIT TOXIC CHLORIDE FUMES.

DO NOT MIX FINISH® 6 PRO HARVEST AID FOR COTTON WITH AMMONIUM THIOSULFATE. SUCH TANK MIXTURES MAY RESULT IN FORMATION OF TOXIC FUMES.

Equipment Cleaning

Because of the acidic nature of this product, prolonged exposure to spray deposit will damage acrylic plastics, certain paints and metals.

Rinse thoroughly with detergent and water all exposed acrylic plastic-type materials (e.g. aircraft windshields), and painted surfaces **within an hour** after exposure to spray deposits.

At the end of each day, rinse thoroughly with detergent and water all metal parts of the aircraft and the associated spray equipment exposed to the spray deposits.

COTTON

HOW TO USE	EXPECTED CONDITIONS	DOSAGE RATE FOR FINISH® 6 PRO HARVEST AID FOR COTTON	
		PINTS PER ACRE	GALS. WATER PER ACRE
<p>FINISH® 6 Pro Harvest Aid for Cotton Alone (Under Normal Conditions):</p> <p>The cotton crop must be in cut-out condition for FINISH® 6 Pro Harvest Aid for Cotton to provide the expected boll opening, defoliation and terminal regrowth suppression.</p> <p>FINISH® 6 Pro Harvest Aid for Cotton may be applied by air or ground equipment. For aerial applications, optimal gallonage should be 5 GPA and applied in a way to prevent drift. Ground applications should optimally use between 15 – 25 GPA and a spray boom with 3 hollow cone nozzles per row and a minimum spray pressure of 40 psi. For best performance, by either air or ground, choose the spray equipment and volumes which will ensure uniform coverage of foliage and bolls.</p>	Hot, dry over 80° F	1 1/3	3 Minimum (aerial)
	Dry 75 to 80° F	2	
	Cool, but over 65° F or Rank cotton	2 2/3	10 Minimum (ground)
<p>FINISH® 6 Pro Harvest Aid for Cotton Tank Mix Options for Unusual Situations:</p> <p>Use FINISH® 6 Pro Harvest Aid for Cotton with low rates of DROPP® (warm weather) or FINISH® 6 Pro Harvest Aid for Cotton with low rates of FOLEX®/DEF® (warm or cool weather) on picker cotton. In addition to the above, GINSTAR® may be used on stripper cotton.</p>	When the cotton crop has been under stress conditions such as hot weather, drought, unutilized nitrogen, weed or insect infestations, low temperature, high moisture, heavy juvenile growth or rank cotton, defoliation and terminal regrowth suppression may be enhanced by tank mixing.	1 1/3 - 2	3 Minimum (aerial) 10 Minimum (ground)

When To Apply

Apply FINISH® 6 Pro Harvest Aid for Cotton when the cotton crop has cut-out and there are sufficient mature unopened bolls present (40 to 60%) to produce the desired yield. This state of growth may be estimated when the crop has reached 2100 - 2400 DD 60's for the year.

Two additional methods should also be used to estimate the proper crop maturity for applications of FINISH® 6 Pro Harvest Aid for Cotton.

Sharp Knife Technique

Apply when the number of mature unopened bolls is sufficient to produce the desired crop and bolls have become very hard, can not be sliced easily, by a sharp knife, have seed coats that are tan in color, and the seed kernel is completely filled inside the cavity. At this stage, no gelatinous material is present inside the boll or seed.

Nodes Above Cracked Boll

The crop is ready to treat when the top-most, first-position harvestable boll is 4 nodes above the uppermost, first-position cracked boll. Delaying treatment past this date is not likely to result in additional recoverable bolls at harvest.

Use Precaution

• Do not apply FINISH® 6 Pro Harvest Aid for Cotton if rain is expected within 6 hours. Rainfall within 6 hours of application may reduce product performance.

Use Restrictions

- Do not harvest cotton sooner than 7 days after a treatment with FINISH® 6 Pro Harvest Aid for Cotton.
- Do not apply this product through any kind of irrigation equipment.
- Do not plant any food crop within 30 days after last application. Small grains planted earlier than 1 month or intercropped within the cotton crop to which FINISH® 6 Pro Harvest Aid for Cotton will be applied may only be used as cover crops and may not be harvested for food or feed. FINISH® 6 Pro Harvest Aid for Cotton may cause yellowing and growth inhibition of treated small grains.
- In Arizona and California, any food crop can be planted 30 days after the last application. In the rest of the US, small grain or leafy vegetable crops can be planted only after 30 days, and all other food crops can be planted only after 4 months.
- Do not exceed a maximum of 2.0 lb ethephon active ingredient per acre per year through combined or repeated uses of any ethephon products.
- Do not exceed 0.25 lbs cyclanilide active ingredient per acre per year.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store between 0° to 50° C (32° to 122° F) in an area that is away from ignition sources. Avoid freezing. If freezing occurs, thaw and remix before using. Avoid contact with metals due to the corrosive properties of the formulation. If container is broken or contents have spilled, follow all precautions indicated above and clean up immediately. Before cleaning up, put on full length trousers, long sleeved shirt, protective gloves, and goggles or face shield. Soak up spill with absorbent media such as sand, earth or other suitable material and dispose of waste at an approved waste disposal facility.

Pesticide Disposal

Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Rigid, Non-refillable containers small enough to shake (i.e., with capacities equal to or less than 5 gallons)

Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill.

Rigid Non-refillable containers that are too large to shake (i.e., with capacities greater than 5 gallons or 50 lbs)

Non-refillable Containers

Non-refillable containers - Do not reuse or refill this container. Refer to Bottom Discharge IBC or Top Discharge IBC, Drums, Kegs information as follows.

Bottom Discharge IBC (e.g. – Schuetz Caged IBC or Snyder Square Stackable)

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. To pressure rinse the container before final disposal, empty the remaining contents from the IBC into application equipment or mix tank. Raise the bottom of the IBC by 1.5 inches on the side which is opposite of the bottom discharge valve to promote more complete product removal. Completely remove the top lid of the IBC. Use water pressurized to at least 40 PSI to rinse all interior portions. Continuously pump or drain rinsate into application equipment or rinsate collection system while pressure rinsing. Continue pressure rinsing for 2 minutes or until rinsate becomes clear. Replace the lid and close bottom valve.

Top Discharge IBC, Drums, Kegs (e.g.– Snyder 120 Next Gen, Bonar B120, Drums, Kegs).

Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. To triple rinse the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container at least 10 percent full with water. Agitate vigorously, or recirculate water with the pump for 2 minutes. Rinse all interior surfaces. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

Once container is rinsed, offer for recycling if available or puncture and dispose of in a sanitary landfill.

Refillable Containers

Refillable container – Refer to Bottom Discharge IBC or Top Discharge IBC, Drums, Kegs information as follows. Refill this container with pesticide only. Do not reuse this container for any other purpose. After emptying product from container, either return container to Bayer CropScience per instructions from Bayer CropScience Customer Service Center (1-800-527-4781) or rinse and either recycle or dispose of the container as follows:

Bottom Discharge IBC (e.g. – Schuetz Caged IBC or Snyder Square Stackable)

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To pressure rinse the container before final disposal, empty the remaining contents from the IBC into application equipment or mix tank. Raise the bottom of the IBC by 1.5 inches on the side which is opposite of the bottom discharge valve to promote more complete product removal. Completely remove the top lid of the IBC. Use water pressurized to at least 40 PSI to rinse all interior portions. Continuously pump or drain rinsate into application equipment or rinsate collection system while pressure rinsing. Continue pressure rinsing for 2 minutes or until rinsate becomes clear. Replace the lid and close bottom valve.

Top Discharge IBC, Drums, Kegs (e.g.– Snyder 120 Next Gen, Bonar B120, Drums, Kegs).

Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To triple rinse the containers before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container at least 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Rinse all interior surfaces. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

Once container is rinsed, offer for recycling if available or puncture and dispose of in a sanitary landfill.

Refillable Containers

End users are authorized to remove tamper evident cables as required to remove the product from the container unless the container is equipped with one way valves and refilling or returning is planned. If this is the case, end users are not authorized to remove tamper evident cables, one way valves or clean container.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. To the extent allowed by law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS, FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

DEF, FINISH, FOLEX, GUTHION, DROPP and GINSTAR are registered trademarks of Bayer Group.

HARVADE is a registered trademark of Uniroyal Company.

ROUNDUP is a registered trademark of Bayer Group.

MALATHION is a trademark of American Cyanamid Company.

Bayer

NET CONTENTS: 2 1/2 GALLONS

FINISH® 6 Pro HARVEST AID FOR COTTON

ACTIVE INGREDIENTS: Ethephon* (2-chloroethyl)phosphonic acid	52.6%
Cyclanilide** 1-(2,4-dichlorophenylaminocarbonyl)-cyclopropane carboxylic acid	3.3%
OTHER INGREDIENTS:	44.1%
TOTAL 100.0%	

*This product contains 6.0 pounds ethephon per gallon

**This product contains 0.375 pound cyclanilide per gallon

EPA Reg. No. 264-703

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

Please refer to booklet for additional precautionary statements and directions for use.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577.</p> <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p>	
<p>NOTE TO PHYSICIAN: Treat symptomatically. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. No specific antidote is available. Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Read entire label before using this product.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage
Store between 0° to 50° C (32° to 122° F) in an area that is away from ignition sources. Avoid freezing. If freezing occurs, thaw and remix before using. Avoid contact with metals due to the corrosive properties of the formulation. If container is broken or contents have spilled, follow all precautions indicated above and clean up immediately. Before cleaning up, put on full length trousers, long sleeved shirt, protective gloves, and goggles or face shield. Soak up spill with absorbent media such as sand, earth or other suitable material and dispose of waste at an approved waste disposal facility.

Pesticide Disposal
Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal
Rigid, Non-refillable containers small enough to shake (i.e., with capacities equal to or less than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill.

Produced for
Bayer CropScience LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167
FINISH is a registered trademark of Bayer Group.
©2022 Bayer Group
US61380181C 210224C 01/22

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if inhaled or absorbed through the skin. Avoid contact with skin. Causes skin irritation. Do not get in eyes on skin or clothing. Avoid breathing vapor or spray mist. Keep away from domestic animals. Avoid contamination of food.

