

Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0 Revision Date: 04/23/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name LESCO BANDIT 2F INSECTICIDE

MSDS Number 102000015064

EPA Registration No. 432-1312

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u> <u>CAS-No.</u> <u>Average % by Weight</u>

Imidacloprid 138261-41-3 21.40

Glycerine 56-81-5

Alkylated naphthalene sulfonate, formaldehyde polymer,

sodium salt

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed or absorbed through skin. Avoid contact with skin,

eyes and clothing.

Physical State liquid suspension

Odor mild

Appearance off-white

Routes of Exposure Ingestion, Skin Absorption, Eye contact, Inhalation

Immediate Effects

Eye May cause mild irritation to eyes. Avoid contact with eyes.

Skin May cause slight irritation. Harmful if absorbed through skin. Avoid contact with

skin and clothing.

Ingestion Harmful if swallowed. Do not take internally.

Inhalation Avoid inhalation of vapour or mist.

Page 1 of 8 Bayer Environmental Science A Business Group of Bayer

CropScience



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

Chronic or Delayed

Long-Term

This product or its components may have target organ effects.

Potential Environmental

Effect

Highly toxic to bees. Highly toxic to aquatic invertebrates.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to Physician

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point $> 93 \,^{\circ}\text{C} / > 199 \,^{\circ}\text{F}$

Suitable Extinguishing

Media

Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to

enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing

environmental regulations.

Additional Advice Use personal protective equipment. Do not allow to enter soil, waterways or

waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash

thoroughly and put on clean clothing.

Min/Max Storage Temperatures

Recommended maximum transport/storage temperature: 38 °C / 100 °F The 30-day storage temperature average must not exceed the recommended

maximum.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Eye/Face Protection Tightly fitting safety goggles

Hand Protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

Chemical resistant gloves made of waterproof material such as polyethylene or

polyvinyl chloride

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Imidacloprid Glycerine	138261-41-3 56-81-5	OES BCS* ACGIH OSHA Z1 OSHA Z1 OSHA Z1A OSHA Z1A TX ESL TX ESL	TWA PEL PEL TWA TWA ST ESL AN ESL	0.7 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 50 ug/m3
		IA LOL	AN LOL	o ug/mo

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance off-white

Physical State liquid suspension

Odor mild

pH 7.5

Density 1.12 g/cm³ at 20 °C

Melting / Freezing Point -6.7 °C / 19.9 °F

Water solubility dispersible

Viscosity 350 - 600 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Hazardous Thermal decomposition can lead to release of:

Decomposition Products Hydrogen chloride (HCI)

Hydrogen cyanide (hydrocyanic acid)

Carbon dioxide (CO2) Carbon monoxide



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

Nitrogen oxides (NOx)

Hazardous Reactions Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

Acute Oral Toxicity male rat: LD50: > 4,870 mg/kg

female rat: LD50: 4,143 mg/kg

Acute Dermal Toxicity male/female combined rabbit: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity male/female combined rat: LC50: > 5.33 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

male/female combined rat: LC50: > 20 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

(actual)

Skin Irritation rabbit: No skin irritation.

Eye Irritation rabbit: Minimally irritating.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Imidacloprid caused thyroid and/or liver effects in chronic dietary studies in rats

and dogs.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None. OSHA

None.

Reproductive &

REPRODUCTION: Imidacloprid was not a reproductive toxicant in a multi-

Developmental Toxicity generation study in rats.



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

DEVELOPMENTAL TOXICITY: Imidacloprid is not considered a primary developmental toxicant in rats and rabbits. Developmental effects were

observed at doses that caused maternal toxicity.

Neurotoxicity Imidacloprid showed slight behavioral and activity changes only at the highest

dose tested in neurotoxicity studies in rats. There were no correlating

morphological changes observed in the neural tissues.

Mutagenicity Imidacloprid was not mutagenic or genotoxic based on the overall weight of

evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Do not re-use empty containers. Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION:

Not regulated for shipment by any mode of transportation

FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I.; other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1312



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

US Federal Regulations

TSCA list

Glycerine 56-81-5

Alkylated naphthalene sulfonate, formaldehyde

polymer, sodium salt

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Glycerine 56-81-5 IL, MN, RI

None.

Canadian Regulations

Canadian Domestic Substance List

Glycerine 56-81-5

Alkylated naphthalene sulfonate, formaldehyde

polymer, sodium salt

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 2: Composition/Information on Ingredients; Updated due to corrected system migration and/or numbering scheme.



Material Safety Data Sheet LESCO BANDIT 2F INSECTICIDE

MSDS Number: 102000015064 MSDS Version 2.0

Revision Date: 04/23/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.