Page **1** of **7**



Revision Date: June 29, 2016

SECTION 1: IDENTIFICATION

Product Name: Quali-Pro Dithiopyr L

EPA Registration No.: 53883-399

Recommended Use: Herbicide; See product label for a complete list of uses and use sites. **Restrictions on Use:** See product label for any restrictions on the use of this product.

Chemical Family: Pyridine

Chemical Name of Active Dithiopyr: 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-

Ingredient(s): methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester

Manufactured for: Control Solutions, Inc.

5903 Genoa-Red Bluff Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Transparent amber liquid with a strong ketone odor. Causes moderate eye irritation. Combustible liquid.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Eye Corrosion/Irritation	Category 2A
Flammable Liquid	Category 4

Signal Word: WARNING

Hazard Statement(s): Causes serious eye irritation.

Combustible liquid.

Precautionary Statement(s):

Prevention: Wash hands thoroughly after handling.

Wear protective gloves/eye protection.

Keep away from flames and hot surfaces. - No smoking.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

IN CASE OF FIRE: Use foam, dry chemical, carbon dioxide or water spray to

extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with Federal, state and local

laws and regulations.

Page **2** of **7** Revision Date: June 29, 2016

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
DIthiopyr	97886-45-8	22.0%
Cyclohexanone	108-94-1	5.0 - 10.0%
2-ethylhexanol	104-76-7	5.0 - 10.0%

^{*}Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIR	RST AID MEASURES
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 1 5 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: Moderate eye irritation including redness, itching and tearing. Mild skin irritation possible.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Foam, dry chemical, carbon dioxide or water spray

Unsuitable Extinguishing Media: Water jet

Hazardous Combustion Products: Thermal decomposition may produce toxic carbon and nitrogen

oxides.

Special Protective Equipment &

Precautions:

Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear selfcontained breathing apparatus and full fire-fighting turn-out gear

(Bunker gear).

Unusual Fire & Explosion Hazards: Flammable liquid

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: See Section 8 for personal protection equipment.

Environmental Precautions: Keep spilled material and any rinsate from contaminating soil or from entering

sewage and drainage systems and bodies of water.

Methods for Containment: Isolate the spill area and remove all sources of ignition. Keep unnecessary and

unprotected personnel from entering. Absorb small spills with sand,

vermiculite or other inert absorbent. Do not use combustible materials such as

Methods for Clean-up:

Other Information:

Page **3** of **7 Revision Date:** June 29, 2016

sawdust or cloth rags. Dike large spills using absorbent or impervious material

such as clay or sand. Recover and contain as much free liquid as possible for

reuse. Allow absorbed material to solidify and scrape up for disposal. Place contaminated material in appropriate container for disposal. After

removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put

spilled material back in the original container.

This product contains cyclohexanone and spills may require reporting under

Federal, state or local laws and regulations.

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL

BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental splashes of the concentrate or spray mixture from

skin, clothing and out of eyes.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food

or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from

children and animals.

Storage Temperature (Min/Max): Store above 32°F and below 120°F.

Product Incompatibilities: Strong oxidizers

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Cyclohexanone	50 ppm / 200 mg/m ³	TWA: 20 ppm	25 ppm / 100 mg/m ³
	(TWA)	STEL: 50 ppm	(TWA)

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust

ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with

cartridges/canisters approved for organic vapors.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile,

neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the

toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that

Quali-Pro Dithiopyr L

Revision Date: June 29, 2016

have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Transparent amber **Upper/Lower Flammability Limits:** Not determined

liquid

Odor: Strong ketone Not determined **Vapor Pressure: Odor Threshold:** Not determined Vapor Density: Not determined 3.0 - 3.5 $1.0 - 1.015 \text{ g/cm}^3$ pH (1% solution): **Density: Melting /Freezing Point:** Not determined **Solubility:** Not determined **Boiling Point/Range:** Not determined **Partition Coefficient:** Not determined Flash Point: 146°F (63°C) **Auto-ignition Temperature:** Not determined **Evaporation Rate:** Not determined **Decomposition Temperature:** Not determined 12.4 cP @ 25°C Flammability: Not applicable **Viscosity:**

7.73 cP @ 39°C

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: No potential for hazardous reactions known. **Conditions to Avoid:** Temperatures below freezing. Sources of ignition.

Incompatible Materials: Strong oxidizers

Hazardous Decomposition Products: Thermal decomposition may produce toxic carbon and nitrogen

oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Eye contact, Skin contact, Inhalation, Ingestion **Likely Routes of Exposure:**

Symptoms of Exposure: Mild eye and/or skin irritation.

Oral LD₅₀: >5,000 mg/kg (Based upon similar product.) Dermal LD₅₀: >2,020 mg/kg (Based upon similar product.) Inhalation LC₅₀: >2.34 mg/L (4-hour)(Based upon similar product.)

Eye Irritation/Damage: Causes moderate eye irritation clearing within 14 days (rabbit)(Based upon

similar product.)

Skin Corrosion/Irritation: Slightly irritating (rabbit)(Based upon similar product.) **Skin Sensitization:** Non-sensitizer (guinea pig)(Based upon similar product.)

Chronic/Subchronic Toxicity: No data available on the mixture. No data available on the mixture. Mutagenicity:

Reproductive Toxicity: Overexposure to cyclohexanone may cause reproductive disorder(s) based

> upon test with laboratory animals. Excessive ingestion of 2-ethylhexanol caused birth defects in laboratory animals only at doses toxic to the mother.

Neurotoxicity: No data available on the mixture.

Target Organs: In animals, dithiopyr has been reported to effect the liver, kidney, adrenal

gland, thyroid, gall bladder and blood.

Page **5** of **7**

Quali-Pro Dithiopyr L

Revision Date: June 29, 2016

Aspiration Hazard: Not anticipated to be an aspiration hazard.

Carcinogenicity: See below.

Chemical Name	ACGIH	IARC	NTP	OSHA
Cyclohexanone		Group 3		

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

ECOTOXICITY DATA:

Fish Toxicity: Dithiopyr Technical: Rainbow Trout 96 hr LC₅₀ = 0.5 mg/L

2-Ethylhexanol: Golden orfe 96 hr LC₅₀ = 17.1 mg/L

Aquatic Invertebrate Toxicity: Dithiopyr Technical: Daphnia magna 48 hr LC₅₀ >1.1 mg/L

Cyclohexanone: *Daphnia magna* 24 hr EC_{50} = 820 mg/L 2-Ethylhexanol: *Daphnia magna* 48 hr EC_{50} = 39 mg/L

Aquatic Plant Toxicity: No data available
Avian Toxicity: No data available

Honeybee Toxicity: Dithiopyr Technical: Contact $LD_{50} = 80 \mu g/bee$

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: No data available
Bioaccumulation: No data available
Mobility: No data available
Other Adverse Effects: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are

toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in

proper disposal methods.

Container Disposal: Refer to the pesticide label for full information on disposal. When possible, triple

rinse the container and offer for recycling if available.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the

RCRA classification and hazard status of the waste.

Quali-Pro Dithiopyr L

Revision Date: June 29, 2016

SECTION 14: TRANSPORTATION INFORMATION

Not regulated in packages less than 119 gallons. For packages greater than 119 gallons:
 (Ground): NA1993, Combustible Liquid, N.O.S (Cyclohexanone, 2-Ethylhexanol), COMB, PG III
 IMDG UN3082, Environmentally hazardous substance, liquid, n.o.s. (Dithiopyr), 9, PGIII, Marine

(Sea): Pollutant

UN3082, Environmentally hazardous substance, liquid, n.o.s. (Dithiopyr), 9, PGIII

(Air):

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear protective eyewear (goggle, face shield, or safety glasses), long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA

regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Acute (Immediate); Fire

Section 313 – This product contains a chemical or chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

<u>, </u>	<u> </u>				
Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values (lbs)		
None listed					

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
Cyclohexanone	108-94-1	5,000 lbs.	7,812 gallons

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
None listed		

Page **7** of **7 Revision Date:** June 29, 2016

Quali-Pro Dithiopyr L

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol	X		X
2-ethylhexanol	X	X	Х
Cyclohexanone	X	X	X

SECTION 16: OTHER INFORMATION

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: June 29, 2015

Document Superseded: N/A – New document

Revision Note: