Page **1** of **7**

Revision Date: January 8, 2016



SECTION 1: IDENTIFICATION

Product Name: Quali-Pro Oxadiazon 2G

EPA Registration No.: 53883-372

Recommended Use: Herbicide; See product label for a complete list of uses and use sites. **Restrictions on Use:** See product label for any restrictions on the use of this product.

Chemical Family: Oxadiazole

Chemical Name of Active

Ingredient(s):

Oxadiazon

Manufactured for: Control Solutions, Inc.

5903 Genoa-Red Bluff Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Gray to tan granules with a slight odor. Causes eye irritation.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Eye Damage/Irritation	Category 2B
Lyc Damage, milation	04108019 23

Signal Word: WARNING

Hazard Statement(s): Causes eye irritation.

Precautionary Statement(s):

Prevention: Wash thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Storage: No statement required. See section 7 for storage information. **Disposal:** No statement required. See section 13 for disposal information.

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Oxadiazon	19666-30-9	2.0%
Titanium dioxide	13463-67-7	0.92%
Naphthalene	91-20-3	0.42%

^{*}Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

Revision Date: January 8, 2016

SECTION 4: FIR	RST AID MEASURES
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 1 5 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: Mild to moderate but temporary eye irritation. **Note to Physician:** There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Foam, dry chemical, carbon dioxide or water spray

Unsuitable Extinguishing Media: Water jet

Hazardous Combustion Products: Thermal decomposition may produce harmful carbon and nitrogen

oxides.

Special Protective Equipment &

Precautions:

Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear

(Bunker gear).

Unusual Fire & Explosion Hazards: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: See Section 8 for personal protection equipment.

Environmental Precautions: Keep spilled material and any rinsate from contaminating soil or from entering

sewage and drainage systems and bodies of water.

Methods for Containment: Isolate the spill area. Keep unnecessary and unprotected personnel from

entering. Dike large spills using impervious material such as clay or sand. Recover and contain as much product as possible for reuse according to label

directions.

Methods for Clean-up: Place contaminated material in appropriate container for disposal. Avoid dust

generation and remove sources of ignition. After removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original

container.

Other Information: None known

Revision Date: January 8, 2016

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL

BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this

product. Avoid dust generation.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food

or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from

children and animals.

Storage Temperature (Min/Max): Not determined

Product Incompatibilities: Strong bases, strong acids and strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Naphthalene	TWA: 50 mg/m ³ /10 ppm	TWA: 10 ppm	REL: 50 mg/m ³ /10 ppm
Naphthalene	STEL: 75 mg/m ³ /15 ppm	STEL: 15 ppm	STEL: 75 mg/m ³ /15 ppm
Cellulose	Total dust: 15 mg/m ³	TWA: 10 mg/m ³	Total REL: 10 mg/m ³
Cellulose	Respirable: 5 mg/m ³	I WA. 10 IIIg/III	Respirable REL: 5 mg/m ³
Kaalin	Total dust: 15 mg/m ³	TWA: 2 mg/m ³	Total REL: 10 mg/m ³
Kaolin	Respirable: 5 mg/m ³	TWA: 2 mg/m	Respirable REL: 5 mg/m ³
Calcium carbonate			Total REL: 10 mg/m ³
Calcium carbonate			Respirable REL: 5 mg/m ³
Titani wa diawida	Total dust PEL: 15 mg/m ³	TWA: 10 mg/m ³	
Titanium dioxide	Total dust TWA:10 mg/m ³	TWA: 10 mg/m	

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust

ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with

cartridges/canisters approved for general particulates and pesticides.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile,

neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the

toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and

Page **4** of **7**

Quali-Pro Oxadiazon 2G

Revision Date: January 8, 2016

maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Upper/Lower Flammability Limits: Not determined Appearance: Gray to tan granules Odor: **Vapor Pressure:** Slight Not determined **Odor Threshold:** Not determined Vapor Density: Not determined $44.0 - 50.0 \, lbs/ft^3$ pH (1% dispersion): Not determined **Bulk Density (loose): Melting /Freezing Point:** Not determined Solubility (water): Insoluble **Boiling Point/Range: Partition Coefficient:** Not determined Not determined Flash Point: Not applicable **Auto-ignition Temperature:** Not determined **Evaporation Rate:** Not determined **Decomposition Temperature:** Not determined Flammability: Not determined Not applicable **Viscosity:**

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: No potential for hazardous reactions known.

Conditions to Avoid: No data available

Incompatible Materials: Strong bases, strong acids, and strong oxidizing agents

Hazardous Decomposition Products: Thermal decomposition may produce harmful carbon and nitrogen

oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact, Inhalation, Ingestion

Symptoms of Exposure: Mild to moderate eye irritation.

Oral LD₅₀: >5,000 mg/kg (rat)Dermal LD₅₀: >2,000 mg/kg (rabbit)

Inhalation LC₅₀: >200 mg/L mg/L (1-hour)(rat)(Determined in the form of dust)

Eye Irritation/Damage:Moderate eye irritation (rabbit)Skin Corrosion/Irritation:Moderate skin irritation (rabbit)Skin Sensitization:Non-sensitizer (guinea pig)

Chronic/Subchronic Toxicity: No data available

Mutagenicity: Oxadiazon was not mutagenic or genotoxic based on the overall weight of

evidence in a battery of in vitro and in vivo tests.

Reproductive Toxicity: Oxadiazon caused reproduction toxicity in a two-generation study in rats only

at dose levels also toxic to the parent animals. The reproduction toxicity seen

with Oxadiazon is related to parental toxicity. Oxadiazon caused developmental toxicity only at dose levels toxic to the dams. The

developmental effects seen with Oxadiazon are related to maternal toxicity.

Neurotoxicity: No data available

Target Organs: Oxadiazon caused specific target organ toxicity in experimental animal

studies in the following organ(s): liver, blood. The observed effects do not

appear to be relevant for humans.

Aspiration Hazard: Not applicable

Revision Date: January 8, 2016

Carcinogenicity: Oxadiazon cased at high dose levels an increased incidence of tumors in the

following organ(s): liver. The mechanism that triggers tumors in rodents and

the type of tumors observed are not relevant to humans.				
Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	Group A4	Group 2B		
Naphthalene	Group A4	Group 2B		

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This pesticide is toxic to fish Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

ECOTOXICITY DATA: The data below is on the technical oxadiazon.

Fish Toxicity: Oncorhynchus mykiss (rainbow trout): 96-hr LC₅₀ = 9 mg/L

Aquatic Invertebrate Toxicity: Daphnia magna: 48-hr EC₅₀ = 0.53 mg/L

Aquatic Plant Toxicity: No data available
Avian Toxicity: No data available
Honeybee Toxicity: No data available

ENVIRONMENTAL EFFECTS:

Persistence and Degradability:No data availableBioaccumulation:No data availableMobility:No data availableOther Adverse Effects:No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are

toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in

proper disposal methods.

Container Disposal: Refer to the pesticide label for full information on disposal. When possible, triple

rinse the container and offer for recycling if available.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the

RCRA classification and hazard status of the waste.

Revision Date: January 8, 2016

SECTION 14: TRANSPORTATION INFORMATION

DOT Not regulated in quantities less than 23,809 lbs. For quantities greater than 23,809 lbs.: **(Ground):** UN3077, Environmentally hazardous substance, solid, n.o.s. (Naphthalene), 9, PGIII

IMDG

UN3077, Environmentally hazardous substance, solid, n.o.s. (Oxadiazon), 9, PGIII

(Sea):

UN3077, Environmentally hazardous substance, solid, n.o.s. (Oxadiazon), 9, PGIII

(Air):

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial but temporary eye injury. DO NOT get in eyes on skin or on clothing. Wear protective eyewear such as goggles face shield or safety glasses.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA

regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Acute (Immediate); Chronic (Delayed) **Section 313 –** This product contains a chemical or chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
Oxadiazon	19666-30-9	2.0%
Naphthalene	91-20-3	0.42%

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
Naphthalene	91-20-3	100 lbs.	23,809

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
Oxadiazon	19666-30-9	Cancer, Developmental
Titanium dioxide	13463-67-7	Cancer
Naphthalene	91-20-3	Cancer

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Naphthalene	X		

Page **7** of **7**

Quali-Pro Oxadiazon 2G

Revision Date: January 8, 2016

SECTION 16: OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards – None
------	------------------	----------------	---------------	------------------------

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: January 8, 2016 **Document Superseded:** April 7, 2015

Revision Note: