#### RESTRICTED USE PESTICIDE TOXIC TO FISH, MAMMALS, AND AQUATIC ORGANISMS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

ABAMECTIN GROUP 6 INSECTICIDE



For distribution and use only within the state of WASHINGTON

## FIFRA 24(c) Special Local Need Label (SLN) FOR ALFALFA GROWN FOR SEED TO CONTROL SPIDER MITES

# AbbA Ultra Miticide/Insecticide

EPA REG. NO. 5481-621

#### EPA SLN NO. WA-180002

## KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

## This label for AbbA Ultra Insecticide/Miticide expires and must not be distributed or used in accordance with this SLN registration after December 31, 2027.

### **DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label and the EPA Registered label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

Apply ABBA Ultra to alfalfa grown for seed when spider mites first appear. Do not apply a second application within 21 days of the last treatment and only after an alternative miticide with a different mode of action has been used.

#### Ground Application:

Apply 4-8 fl oz/A of AbbA Ultra by ground application in a minimum of 20 gallons of water per acre.

#### Aerial Application:

Apply 6-8 fl oz/A of AbbA Ultra by aerial application in a minimum of 10 gallons of water per acre.

#### **Restrictions/Precautions:**

- Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
- Do not apply more than 2 applications of AbbA Ultra or any other foliar applied product containing abamectin per cropping season.
- Do not apply more than 8 fl oz/A (0.019 lb ai/A) of AbbA Ultra or any other foliar applied product containing abamectin per application.

- Do not apply more than 16 fl oz/A (0.038 lb ai/A) of AbbA Ultra or any other foliar applied product containing abamectin per cropping season.
- For use under this SLN label do not apply this product through any type of irrigation system.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.
- Applications must be timed to coincide with periods of minimum bee activity, between late evening and midnight.
- All alfalfa seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of the disposal and shall furnish the records to the WSDA immediately upon request.
- Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
- No portion of the alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- Alfalfa seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
- Alfalfa seed may not be distributed for human consumption or animal feed.
- This pesticide is toxic to fish and wildlife. AbbA Ultra should not be used in accordance with this SLN label where
  impact on listed threatened or endangered species is likely. You may refer to the Natural Resources Assessment
  Section on WSDA's website at https://agr.wa.gov/departments/land-and-water/natural-resources/endangeredspecies-program for additional information related to pesticide use and endangered species protection.
  Information from EPA about no-spray buffer zones is available on the WSDA website under Endangered
  Species/Buffers. Pesticide applicators may use the Washington Department of Fish and Wildlife's SalmonScape
  mapping tool available on their website to determine if listed salmonid species occur in or near a proposed
  application site.
- Apply AbbA Ultra only when wind velocity favors on target product deposition (approximately 3 to 10 mph).
- Do not apply with ground application equipment within 25 ft of or with aircraft within 150 ft of lakes, reservoirs, rivers, permanent streams, marshes, pot holes, natural ponds, estuaries, or commercial fish farm ponds.
- Do not cultivate within 25 ft of the aquatic area to allow growth of a vegetative filter strip.

#### WSDA Container Disposal Guidance:

Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal.

Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site athttps://agr.wa.gov/wastepesticide.

Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

AbbA Ultra is a trademark owned by AMVAC Chemical Corporation

#### 24(C) Registrant:

AMVAC Chemical Corporation 4695 MacArthur Court, Suite 1200, Newport Beach, CA 92660 1-888-462-6822