

SAFETY DATA SHEET

1. Identification			
Product identifier	Assure® II Herbicide		
Other means of identification SDS number	631		
Product registration number	5481-646		
Recommended use	Herbicide.		
Recommended restrictions	See product label for restrictions. Do not handle without appropriate PPE (see s Keep out of the Reach of Children!	ection 8).	
EPA Registration number	EPA: 5481-646		
Manufacturer/Importer/Supplier/	Distributor information		
Company Name	AMVAC Chemical Corporation		
Address	4695 MacArthur Court		
	Suite 1200		
	Newport Beach, CA 92660		
	United States		
Telephone			
AMVAC Chemical Corp	949-260-1200		
AMVAC Chemical Corp	949-260-6270(FAX)		
Product Use	888-462-6822		
Website	www.amvac.com		
E-mail	CustServ@amvac.com		
Emergency phone number	000 004 4004		
Medical	888-681-4261		
CHEMTREC® (USA+Canada)	800-424-9300		
CHEMTREC® (Outside USA)	+1-703-527-3887		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, inhalation	Category 4	
	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Carcinogenicity	Category 2	
	Reproductive toxicity	Category 1B	
	Specific target organ toxicity, repeated exposure	Category 2	
	Aspiration hazard	Category 1	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1	
	Hazardous to the aquatic environment, long-term hazard	Category 2	
OSHA defined hazards	Not classified.		
Label elements		>	

Signal word

Danger

Hazard statement	Harmful if inhaled. Causes skin irritation. Causes serious eye damage. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist/vapors/spray. Avoid release to the environment. Wash thoroughly after handling.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If inhaled: Remove person to fresh air and keep comfortable for breathing. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Collect spillage.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Quizalofop-p-ethyl	Ethyl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phen oxy]propionate	100646-51-3	10.3	
Solvent Naphtha (Petroleum), Heavy Aromatic		64742-94-5	70-80*	
Proprietary Blend of Surfactants		Mixture	5-15*	
N-Methylpyrrolidone		872-50-4	5-10*	
onstituents				
Chemical name	Common name and synonyms	CAS number	%	

91-20-3

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

< 10

Naphthalene

Composition comments Occupational Exposure Limits for constituents are listed in Section 8.

Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting. Diarrhea. Skin irritation. May cause redness and pain. Causes serious eye damage.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is
	possible. Absorb in vermiculite, dry sand or earth and place into containers. After cleaning, flush away traces with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for reuse. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Use only outdoors or in a well-ventilated area. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Avoid release to the environment. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)		
Constituents	Туре	Value
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3
		10 ppm

US. ACGIH Threshold Limit Va Constituents	Туре			Value	
Naphthalene (CAS 91-20-3)	TWA			10 ppm	
NIOSH. Immediately Dangerou Constituents	is to Life or Health Type	(IDLH) Values, as	amended	Value	
Naphthalene (CAS 91-20-3)	IDLH			0.9 %	
,				250 ppm	
US. NIOSH: Pocket Guide to Cl Components	hemical Hazards F Type	Recommended Ex	posure Lim	its (REL) Value	
Solvent Naphtha (Petroleum), Heavy Aromatic (CAS 64742-94-5)	TWA			100 mg/m3	
Constituents	Туре			Value	
Naphthalene (CAS 91-20-3)	STEL			75 mg/m3	
				15 ppm	
	TWA			50 mg/m3	
				10 ppm	
US. OARS. Workplace Environ Components	mental Exposure Type	Level (WEEL) Gui	de	Value	
N-Methylpyrrolidone (CAS	STEL			120 mg/m3	
872-50-4)				30 ppm	
	TWA			60 mg/m3	
logical limit values ACGIH Biological Exposure Ind Components Valu		Determinant	Specimer	60 mg/m3 15 ppm Sampling Time	
ACGIH Biological Exposure Ind	dices (BEI) Je	5-Hydroxy-N-m ethyl-2-pyrrolid	Specimer Urine	15 ppm	
ComponentsValueN-Methylpyrrolidone (CAS100872-50-4)100	dices (BEI) Je mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid one	•	15 ppm Sampling Time	
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s	dices (BEI) Je mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid one	•	15 ppm Sampling Time	
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4)	dices (BEI) Je mg/l see the source docu	5-Hydroxy-N-m ethyl-2-pyrrolid one ument.	•	15 ppm Sampling Time	
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s cosure guidelines	dices (BEI) Je mg/I see the source docu	5-Hydroxy-N-m ethyl-2-pyrrolid one ument.	Urine	15 ppm Sampling Time	
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s oosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin designe N-Methylpyrrolidone (CAS 8	dices (BEI) Je mg/l see the source docu ues: Skin designa ation 172-50-4)	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Danger Can be	Urine Of cutaneou	15 ppm Sampling Time * * as absorption arough the skin.	
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s oosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin design N-Methylpyrrolidone (CAS 8 propriate engineering controls and the second	dices (BEI) Je mg/l see the source docu ues: Skin designa ation 172-50-4) Good general ventila applicable, use proc naintain airborne le	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be can be ation should be use ess enclosures, loo vels below recomm	Urine Urine of cutaneou absorbed th ed. Ventilatio cal exhaust v nended expo	15 ppm Sampling Time * *	to een
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s oosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin design N-Methylpyrrolidone (CAS 8 oropriate engineering ntrols a sividual protection measures, su	dices (BEI) Je mg/l see the source docu ues: Skin designa dation 972-50-4) Good general ventila applicable, use proc naintain airborne le established, maintai shower.	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be ation should be use tess enclosures, loo vels below recomm n airborne levels to otective equipme	Urine Urine of cutaneou absorbed th ed. Ventilatio cal exhaust v iended expo o an accepta nt	15 ppm Sampling Time * * Is absorption arough the skin. In rates should be matched to conditions ventilation, or other engineering controls sure limits. If exposure limits have not b ble level. Provide eyewash station and s	to een
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s oosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin design N-Methylpyrrolidone (CAS 8 oropriate engineering G introls a sividual protection measures, su Eye/face protection V Skin protection	dices (BEI) Je mg/l see the source docu lues: Skin designa lation 372-50-4) Good general ventila applicable, use proc naintain airborne le established, maintai shower. uch as personal pr	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be ation should be use ess enclosures, low vels below recomm n airborne levels to otective equipments with side shields (Urine Of cutaneou absorbed th ed. Ventilatio cal exhaust v nended expo o an accepta nt (or goggles).	15 ppm Sampling Time * * Is absorption arough the skin. In rates should be matched to conditions ventilation, or other engineering controls sure limits. If exposure limits have not b ble level. Provide eyewash station and s	to een
ACGIH Biological Exposure Ind Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s oosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin design N-Methylpyrrolidone (CAS 8 oropriate engineering throls a sividual protection measures, su Eye/face protection V Skin protection Hand protection V	dices (BEI) Je mg/l see the source docu lues: Skin designa fation 372-50-4) Good general ventila applicable, use proc naintain airborne le established, maintai shower. Ich as personal pr Vear safety glasses Wear appropriate ch	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be ation should be use ess enclosures, loo vels below recomm n airborne levels to otective equipme s with side shields (nemical resistant gl	Urine Urine of cutaneou absorbed th ed. Ventilatio cal exhaust v hended expo o an accepta o an accepta nt (or goggles).	15 ppm Sampling Time * * Is absorption arough the skin. In rates should be matched to conditions ventilation, or other engineering controls sure limits. If exposure limits have not b ble level. Provide eyewash station and s	to een safet
ACGIH Biological Exposure Inc Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s bosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin designe N-Methylpyrrolidone (CAS 8 bropriate engineering Generation (CAS 8 bropriate engineering (C	dices (BEI) Je mg/l see the source docu lues: Skin designa (ation 672-50-4) Good general ventila applicable, use proc maintain airborne le established, maintai shower. Ich as personal pr Vear safety glasses Wear appropriate ch Vear appropriate ch f engineering contro imits (where applica	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be ation should be use ess enclosures, loo vels below recomm n airborne levels to otective equipme s with side shields (nemical resistant gl nemical resistant cl ols do not maintain able) or to an accep	Urine Urine of cutaneou absorbed the d. Ventilatio cal exhaust v nended expo o an accepta nt (or goggles). oves. othing. Use o airborne cor otable level (15 ppm Sampling Time * * as absorption arough the skin. In rates should be matched to conditions ventilation, or other engineering controls sure limits. If exposure limits have not b ble level. Provide eyewash station and s of an impervious apron is recommended in countries where exposure limits have	to een safet
ACGIH Biological Exposure Ind Components Value N-Methylpyrrolidone (CAS 100 872-50-4) * - For sampling details, please s bosure guidelines US ACGIH Threshold Limit Value Naphthalene (CAS 91-20-3) US WEEL Guides: Skin design N-Methylpyrrolidone (CAS 8 propriate engineering ntrols a ividual protection measures, su Eye/face protection V Skin protection Hand protection V Other V Respiratory protection	dices (BEI) Je mg/l see the source docu lues: Skin designa (ation 172-50-4) Good general ventila applicable, use proc naintain airborne le established, maintai shower. Ich as personal pr Vear safety glasses Vear appropriate ch Vear appropriate ch	5-Hydroxy-N-m ethyl-2-pyrrolid one ument. tion Can be ation should be use sess enclosures, loo vels below recomm n airborne levels to otective equipments with side shields (memical resistant gl memical resistant cl ols do not maintain able) or to an accept an approved respirat	Urine Urine of cutaneou absorbed the d. Ventilatio cal exhaust v nended expo o an accepta nt (or goggles). oves. othing. Use airborne cor btable level (ator must be	15 ppm Sampling Time * * Is absorption arough the skin. In rates should be matched to conditions ventilation, or other engineering controls sure limits. If exposure limits have not b ble level. Provide eyewash station and s ble level. Provide eyewash station and s of an impervious apron is recommended in countries where exposure limits have worn.	to een safet

9. Physical and chemical properties

,	•
Appearance	
Physical state	Liquid.
Form	Emulsifiable Concentrate (EC).
Color	Dark amber.
Odor	Aromatic solvent.
Odor threshold	Not available.
рН	5 - 7 (1% aqueous solution) (Data from similar formulation)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	210.2 °F (99 °C) (Data from similar formulation)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.02 (Data from similar formulation)
Solubility(ies)	
Solubility (water)	Emulsifiable.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	The data presented in this section are typical values and should not be construed as a specification.
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid
temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsOxidizing agents. Strong acids. Strong bases.Hazardous decomposition
productsNo hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of e>sureInhalationHarmful if inhaled.Skin contactCauses skin irritation.Eye contactCauses serious eye damage.IngestionDroplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious
chemical pneumonia.Symptoms related to the
physical, chemical and
toxicological characteristicsAspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting.
Diarrhea. Skin irritation. May cause redness and pain. Causes serious eye damage.

Information on toxicological effects

Acute toxicity	Harmful if inhaled.		
Product	Species		Test Results
Assure® II Herbicide			
<u>Acute</u>			
Dermal			
LD50	Rabbit		> 2000 mg/kg (Test data from similar formulation)
Inhalation			
LC50	Rat		2.6 - 4.4 mg/l, 4 h (Test data from similar formulation)
Oral			
LD50	Rat		5900 mg/kg (Test data from similar formulation)
Skin corrosion/irritation	Causes skin irritation. Classifi	cation based on similar	formulation.
Serious eye damage/eye irritation	Causes serious eye damage.	Classification based or	n similar formulation.
Respiratory or skin sensitization	1		
Respiratory sensitization	Not classified.		
Skin sensitization	Not classified.		
Germ cell mutagenicity	Not classified.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Naphthalene (CAS 91-20-	-3)	2B Possibly carcinog	enic to humans.
	d Substances (29 CFR 1910.1	001-1053)	
Not listed.	gram (NTP) Report on Carcin	00000	
Naphthalene (CAS 91-20-	• • • •	Known To Be Human	Carcinogen
	0)		ed to be a Human Carcinogen.
Reproductive toxicity	May damage fertility or the un	born child.	-
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	May cause damage to organs	through prolonged or r	repeated exposure.
Aspiration hazard	May be fatal if swallowed and	enters airways.	
Chronic effects	Prolonged inhalation may be l repeated exposure. Prolonged		mage to organs through prolonged or chronic effects.
12. Ecological information			

Ecotoxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Quizalofop-p-ethyl (CAS 10	0646-51-3)		
Aquatic			
Crustacea	NOEC	Daphnia magna	0.787 mg/l, 21 d
Acute			
Algae	EC50	Pseudokirchnerella subcapitata	0.021 mg/l, 72 h
Crustacea	EC50	Daphnia magna	51.9 mg/l, 48 h
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.72 mg/l, 96 h
rsistence and degradability	No data is a	available on the degradability of any ingre	dients in the mixture.
baccumulative potential	No data ava	ailable.	
bility in soil	No data ava	ailable.	
her adverse effects		lverse environmental effects (e.g. ozone ndocrine disruption, global warming pote	depletion, photochemical ozone creation ntial) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

DOT	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Quizalofop-p-ethyl), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Label(s)	9
Packing group	
Environmental hazards	
Marine pollutant	Yes
-	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	8, 146, 335, IB3, T4, TP1, TP29
Packaging exceptions	155
Packaging non bulk	203
Packaging bulk	241
IATA	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Quizalofop-p-ethyl)
Transport hazard class(es)	
Class	9
Subsidiary hazard	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
-	and emergency procedures before handling.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quizalofop-p-ethyl),
Transport hazard class(es)	MARINE POLLUTANT
Class	9
Subsidiary hazard	-
Packing group	
Environmental hazards	111
Marine pollutant	Yes
EmS	F-A, S-F
_	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	



Marine pollutant



General information

DOT Regulated Severe Marine Pollutant. IMDG Regulated Marine Pollutant. This product is not regulated when shipped by highway or rail in non-bulk packaging (maximum capacity of 450 L (119 gallons) or less). When shipped in bulk or by air or vessel (non-bulk or bulk) this product is regulated according to the data shown.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

DANGER:

Causes irreversible eye damage. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or spray mist.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present (except for application to cranberry bogs) or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Naphthalene (CAS 91-20-3)	Listed.
Solvent Naphtha (Petroleum), Heavy Aromatic	Listed.
(CAS 64742-94-5)	

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Carcinogenicity Reproductive toxicity Specific target organ toxicity (single or repeated exposure) Aspiration hazard

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
N-Methylpyrrolidone	872-50-4	5-10	
Naphthalene	91-20-3	< 10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Naphthalene (CAS 91-20-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act. (SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Naphthalene (CAS 91-20-3) N-Methylpyrrolidone (CAS 872-50-4) Solvent Naphtha (Petroleum), Heavy Aromatic (CAS 64742-94-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	May-06-2022
Revision date	Nov-08-2023
Version #	1.2
HMIS® ratings	Health: 3* Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 1 Instability: 0

Disclaimer	This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.
	AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
	©2023 AMVAC Chemical Corporation. AMVAC and the AMVAC logo are trademarks owned by AMVAC Chemical Corporation. All rights reserved. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists. CHEMTREC is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc.
Revision information	Fire-fighting measures: Suitable extinguishing media Disposal considerations: Local disposal regulations Other information, including date of preparation or last revision: Disclaimer