

RESTRICTED USE PESTICIDE

DUE TO EYE AND SKIN CORROSIVITY HAZARD

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's Certification



**FIFRA Section 24(c)
Special Local Need
Label**

DIBROM® 8 EMULSIVE

Naled Insecticide

For Control of Lygus and Thrips in Alfalfa Grown for Seed and for Control of Lygus in Carrots Grown for Seed

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

DIBROM® 8 EMULSIVE

EPA REG. NO. 5481-479

EPA SLN NO. OR-990032

This label valid until December 31, 2025 or until otherwise amended, withdrawn, cancelled or suspended.

ACTIVE INGREDIENT:

Naled (1,2-dibromo-2, 2-dichloroethyl dimethyl phosphate)..... 62%

INERT INGREDIENTS: 38%

TOTAL 100%

Contains 7.5 pounds naled per gallon.

Contains petroleum distillates.

**KEEP OUT OF REACH OF CHILDREN
DANGER – PELIGRO**

DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN.

Si usted entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

For Agricultural Terrestrial Uses:

This product is toxic to fish, aquatic invertebrates, and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply within 24 hours following rainfall or irrigation, or in areas where intense or sustained rainfall is forecasted to occur within 24 hours following application.

Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries). Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this Special Local Need (SLN) label and the main EPA-registered product label. This SLN labeling and the main EPA label must be in possession of the users at the time of pesticide application.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

GENERAL INSTRUCTIONS

Do not apply this product through any type of irrigation system.

APPLICATION TIMING: Begin application at first sign of insects. Repeat applications may be made up to the maximum seasonal amount indicated in the table below, but may not be made at less than 7 day intervals.

APPLICATION EQUIPMENT: This product may be applied by ground or aerial spray equipment. Aerial application must be made with closed cockpit aircraft. Do not use backpack spray equipment when treating agricultural crops. See below for spray drift management precautions and recommendations.

SPRAY VOLUME: Use the amount of product designated in the table below in the following gallons of water per acre:

- Ground Application: 30 to 250 gallons
- Air Application: 3 to 10 gallons

APPLICATION DIRECTIONS

Seed Crop	Pest	Rate (pints per acre)	Restrictions
Alfalfa (seed only)	Lygus	1 to 1-1/2	<ul style="list-style-type: none">• Do not apply more than three (3) applications per cutting.• Do not graze treated alfalfa.• Treated alfalfa seed is not to be used for sprouting.• Do not move alfalfa leaf cutting bee shelters into the treatment area for at least 12 hours after application. Bee kills may result from applications of 1 pt./acre (1 lb. a.i./acre) or more to blooming alfalfa seed, even if all precautions are followed.
	Thrips	1/2	
Carrots (seed only)	Lygus	1 to 1-1/2	<ul style="list-style-type: none">• Do not apply more than 3 pints per acre per year.• Allow 48 hours after application before introducing bees for pollination.• During the bloom period, bees must be removed from the field for a minimum of 48 hours after application prior to reintroduction.• Do not apply during the main bloom period if another seed crop within 1/2-mile is being pollinated by honeybees. Bee kills may result from applications of 1 pt./acre (1 lb. a.i./acre) or more to blooming carrot seed, even if all precautions are followed.

Restrictions:

Follow all restrictions on main label including Spray Drift Management.

Ground Application: Do not apply by ground within 25 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas.

Aerial Application: Do not apply by air within 150 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas.

Bee Protection Statement This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product to blooming carrot seed if bees are visiting the treatment area. Allow 48 hours after application before introducing bees for pollination. During the bloom period bees must be removed from the field for a minimum of 48 hours after application prior to their reintroduction. Applications made during the bloom period must coincide with periods of minimum bee activity between late evening and 11 PM. Do not apply if weather conditions favor dew formation the night of application. Do not spray during the main bloom period if another seed crop within 1 mile is being pollinated by bees. Bee kills may result from applications of 1 pt./acre (1 lb. ai/acre) or more to blooming carrot seed, even if all precautions are followed.

Consult Oregon State Extension Entomologist if Integrated Pest Management (IPM) programs are in use.

Special Crop Use Restrictions:

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for these crops. Consequently, no portion of the seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057- 0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate the requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Limitation of Warranty and Liability before using this product.

24(c) Registrant:

AMVAC Chemical Corporation
4695 MacArthur Court, Suite 1200
Newport Beach, CA 92660
1-888-462-6822