

SAFETY DATA SHEET

1. Identification

Product identifier	FORCE® 10 G HL Insectic	ide
Other means of identification		
SDS number	553	
Product registration number	100-1615-5481	
Recommended use	Insecticide	
Recommended restrictions	No other uses are advised. Keep out of the Reach of Cl	nildren!
EPA Registration number	EPA: 100-1615-5481	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	AMVAC Chemical Corporat	ion
Address	4695 MacArthur Court	
	Suite 1200	
	Newport Beach, CA 92660	
Telephone	AMVAC Chemical Corp	949-260-1200
147.1	AMVAC Chemical Corp	949-260-6270(FAX)
Website	www.amvac.com	
E-mail	CustServ@amvac.com	
Emergency phone number	Medical	888-681-4261
		800-424-9300
	(USA+Canada)	000 460 6000
	Product Use	888-462-6822
	CHEMTREC® (Outside	+1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 3
	Sensitization, skin	Category 1B
	Carcinogenicity	Category 1B
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	
Label elements		
		/

Signal word

Danger

Hazard statement	Harmful if swallowed. Toxic if inhaled. May cause an allergic skin reaction. May cause cancer by inhalation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Do not eat, drink or smoke when using this product. Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Wash thoroughly after handling.
Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Collect spillage.
Storage	Store locked up. Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with all applicable regulatory requirements. SmartBox® containers should be returned to the manufacturer by following the directions on the label. SmartCartridge containers should be returned to the retailer that the product was purchased from following the instructions on the label.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Tefluthrin	2,3,5,6-tetrafluoro-4-methylbenzyl-(Z)-(1R S,3RS)-3-(2-chloro-3,3,3-trifluoro-1-prope nyl)-2,2-dimethylcyclopropanecarboxylate Tefluthrin	79538-32-2	10
MONTMORILLONITE, CALCINED		70892-59-0	< 74
Total Hydrocarbons	Aromatic Solvent	64742-94-5	< 15
Naphthalene		91-20-3	< 1
Impurities			
Chemical name	Common name and synonyms	CAS number	%
Crystalline Silica		14808-60-7	< 5
Values are not product specifications			

Values are not product specifications.

4. First-aid measures

Inhalation

If inhaled, remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a POISON CENTER or doctor/physician for further treatment advice.

Skin contact	Remove contaminated clothing. Immediately flush skin with running water for at least 20 minutes. Call a physician or poison control center for treatment advice.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue to rinse for at least 15 minutes. Call a physician or poison control center for treatment advice.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not give any liquid to the person. Do not induce vomiting without advice from poison control center. Do not give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	Sensitization. May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.
Indication of immediate medical attention and special treatment needed	There is no specific antidote. Treat symptomatically.
General information	Have the product container, label or Safety Data Sheet (SDS) with you when calling a poison control center or doctor or going for treatment.
5. Fire-fighting measures	

Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam. If water is used to fight fire, dike and collect the runoff.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	None known.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accidental release measures

•••••••••••••••••	
Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	See Section 8 of the SDS for Personal Protective Equipment. Stop the flow of material, if this is without risk, to prevent entry into waterways, sewer, basements or confined areas. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean the area with common powdered household detergent and a stiff brush and just enough water to make a slurry. Pick up wash liquid with additional absorbent and place in a disposable container. Dispose of cleanup materials as hazardous waste (See Section 13).
Environmental precautions	Not available.
7. Handling and storage	
Precautions for safe handling	Read label before use. Wear appropriate personal protective equipment recommended in section 8. Avoid breathing dust. Do not eat, drink, or smoke when using this product. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Do not store near food, feed, seeds, or tobacco products.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Ail Components	Type	Value	
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3	
		10 ppm	
Impurities	Туре	Value	Form
Crystalline Silica (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 1910).1000)		
Impurities	Туре	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.

Impurities	Туре	Value	Form
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limi			_
Components	Туре	Value	Form
Naphthalene (CAS 91-20-3)	TWA	10 ppm	
Total Hydrocarbons (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.
Impurities	Туре	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide			
Components	Туре	Value	
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3	
		15 ppm	
	TWA	50 mg/m3	
		10 ppm	
Total Hydrocarbons (CAS 64742-94-5)	TWA	100 mg/m3	
Impurities	Туре	Value	Form
Crystalline Silica (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
,	Solvent manufacturer has established	d the following limit: 50 mg/m3	
logical limit values posure guidelines	Solvent manufacturer has established Syngenta has established the following	d the following limit: 50 mg/m3	
logical limit values posure guidelines US - California OELs: Skin	Solvent manufacturer has established Syngenta has established the followin designation	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/n	
logical limit values oosure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit	Solvent manufacturer has established Syngenta has established the followin designation 20-3) Can b t Values: Skin designation	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/n be absorbed through the skin.	
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent to the setablished the following construction 20-3) Can be Solvent to the setablished the following Construction Solvent the setablished the following Construction Construction Solvent the setablished the following Construction Construction Solvent the setablished the following Construction Construction Construction Construction Construction Construction Solvent the setablished the following Construction Solvent the setablished the following Construction Solvent the setablished the following Construction Solvent the setablished the set	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/n be absorbed through the skin. be absorbed through the skin. be absorbed through the skin.	n3 TWA (skin)
logical limit values oosure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2	Solvent manufacturer has established Syngenta has established the followin designation 20-3) Can b t Values: Skin designation 20-3) Can b	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/n be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri	n3 TWA (skin)
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering htrols	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can b t Values: Skin designation 20-3) Can b S 64742-94-5) Can b Use process enclosures, local exhau	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri e limits. ent quired when dust may be preser	ng controls to control airbo
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering ntrols	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent designation 20-3) Can be Solvent designation Can be Can be Can be Can be Can be Solvent designation Can be Can be Can be Can be Solvent designation Can be Solvent designation Can be Solvent designation Can be Can be Can be Can be Solvent designation Can be Solvent designation Solvent designation Can be Solvent designation Can be Solvent designation Solvent designation Can be Solvent	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri e limits. ent quired when dust may be preser	ng controls to control airbo
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering ntrols ividual protection measures Eye/face protection	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent designation 20-3) Can be Solvent designation Can be Can be Can be Can be Can be Solvent designation Can be Can be Can be Can be Solvent designation Can be Solvent designation Can be Solvent designation Can be Can be Can be Can be Solvent designation Can be Solvent designation Solvent designation Can be Solvent designation Can be Solvent designation Solvent designation Can be Solvent	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri e limits. ent quired when dust may be preser	ng controls to control airbon ng controls to control airbon nt. Eye wash fountain and
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering ntrols ividual protection measures Eye/face protection	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent designation 20-3) Can be Solvent designation Can be Solvent designation Can be Solvent designation Can be Solvent designation Can be Solvent designation Can be Can be Use process enclosures, local exhau levels below recommended exposure solvent designation Solvent designation Can be Can	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed.	ng controls to control airbo nt. Eye wash fountain and oves are recommended.
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering ntrols ividual protection measures Eye/face protection Skin protection Hand protection	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be 20-3) Can be 35 64742-94-5) Can be Use process enclosures, local exhau- levels below recommended exposures s, such as personal protective equipm Tight fitting Chemical goggles are recommended Wear appropriate chemical resistant Long-sleeved shirt and long pants or	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed. gloves. Nitrile or butyl rubber glo coveralls, socks and chemical r st ventilation, or other engineeri IIOSH/MSHA approved dust/mi els exceeding the exposure limit potential for an uncontrolled rele	ng controls to control airborn ng controls to control airborn nt. Eye wash fountain and oves are recommended. resistant closed toe shoes a ng controls to keep airborn st filtering respirator if there its. Use a positive-pressure ease, exposure levels are n
logical limit values posure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering nitrols ividual protection measures Eye/face protection Skin protection Hand protection Other	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be 20-3) Can be 35 64742-94-5) Can be Use process enclosures, local exhau- levels below recommended exposure as, such as personal protective equipment Tight fitting Chemical goggles are recommended Wear appropriate chemical resistant Long-sleeved shirt and long pants or required. Use process enclosures, local exhau- levels below exposure limits. Use a Na a risk of exposure to dust/fume at lev air-supplied respirator if there is any p known, or any other circumstances w	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed. gloves. Nitrile or butyl rubber glo coveralls, socks and chemical r st ventilation, or other engineeri IIOSH/MSHA approved dust/mi els exceeding the exposure limit potential for an uncontrolled rele	ng controls to control airbo nt. Eye wash fountain and oves are recommended. resistant closed toe shoes a ng controls to keep airborn st filtering respirator if there its. Use a positive-pressure ease, exposure levels are n
logical limit values bosure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering atrols ividual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent Values: Skin designation 20-3) Can be Solvent values: Skin designation 20-3) Can be Use process enclosures, local exhau- levels below recommended exposure s, such as personal protective equipm Tight fitting Chemical goggles are recommended Wear appropriate chemical resistant Long-sleeved shirt and long pants or required. Use process enclosures, local exhau- levels below exposure limits. Use a Na a risk of exposure to dust/fume at lev air-supplied respirator if there is any p known, or any other circumstances w protection. Not applicable.	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed. gloves. Nitrile or butyl rubber glo coveralls, socks and chemical r st ventilation, or other engineeri IIOSH/MSHA approved dust/mi els exceeding the exposure limit potential for an uncontrolled rele	ng controls to control airbo nt. Eye wash fountain and oves are recommended. resistant closed toe shoes a ng controls to keep airborn st filtering respirator if there its. Use a positive-pressure ease, exposure levels are n
logical limit values bosure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering nitrols ividual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards Physical and chemical	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent Values: Skin designation 20-3) Can be Solvent values: Skin designation 20-3) Can be Use process enclosures, local exhau- levels below recommended exposure s, such as personal protective equipm Tight fitting Chemical goggles are recommended Wear appropriate chemical resistant Long-sleeved shirt and long pants or required. Use process enclosures, local exhau- levels below exposure limits. Use a Na a risk of exposure to dust/fume at lev air-supplied respirator if there is any p known, or any other circumstances w protection. Not applicable.	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed. gloves. Nitrile or butyl rubber glo coveralls, socks and chemical r st ventilation, or other engineeri IIOSH/MSHA approved dust/mi els exceeding the exposure limit potential for an uncontrolled rele	ng controls to control airbo nt. Eye wash fountain and oves are recommended. resistant closed toe shoes a ng controls to keep airborn st filtering respirator if there its. Use a positive-pressure ease, exposure levels are n
logical limit values bosure guidelines US - California OELs: Skin Naphthalene (CAS 91-2 US ACGIH Threshold Limit Naphthalene (CAS 91-2 Total Hydrocarbons (CA propriate engineering atrols ividual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection	Solvent manufacturer has established Syngenta has established the following designation 20-3) Can be t Values: Skin designation 20-3) Can be Solvent Values: Skin designation 20-3) Can be Solvent values: Skin designation 20-3) Can be Use process enclosures, local exhau- levels below recommended exposure s, such as personal protective equipm Tight fitting Chemical goggles are recommended Wear appropriate chemical resistant Long-sleeved shirt and long pants or required. Use process enclosures, local exhau- levels below exposure limits. Use a Na a risk of exposure to dust/fume at lev air-supplied respirator if there is any p known, or any other circumstances w protection. Not applicable.	d the following limit: 50 mg/m3 ng limit for Tefluthrin: 0.04 mg/m be absorbed through the skin. be absorbed through the skin. be absorbed through the skin. st ventilation, or other engineeri limits. ent quired when dust may be preser ed. gloves. Nitrile or butyl rubber glo coveralls, socks and chemical r st ventilation, or other engineeri IIOSH/MSHA approved dust/mi els exceeding the exposure limit potential for an uncontrolled rele	ng controls to control airbo nt. Eye wash fountain and oves are recommended. resistant closed toe shoes a ng controls to keep airborn st filtering respirator if there its. Use a positive-pressure ease, exposure levels are n

Color	Tan to brown
Odor	Slight aromatic solvent odor
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	6.00E-05 mm Hg (Tefluthrin)
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble (Tefluthrin)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions and storage conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known.
Incompatible materials	Not available.
Hazardous decomposition products	Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned.
11. Toxicological informat	ion
Information on likely routes of e	
Inhalation	Toxic by inhalation.
Skin contact	Slight skin irritant.
Eye contact	May be minimally irritating to eyes.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Contact with Tefluthrin containing products may occasionally produce skin sensitization such as rashes, numbing, burning or tingling. May cause an allergic skin reaction.

Information on toxicological effects

Acute toxicity	Harmful if swallowed. Toxic if	inhaled.	
Product	Species	Test Results	
FORCE® 10 G HL Insecticide	9		
Acute			
Dermal			
LD50	Rat	> 5000 mg/kg	
Inhalation			
LC50	Rat	> 0.1 mg/l	
Oral			
LD50	Rat	583 mg/kg	

	Species	т	est Results	
otal Hydrocarbons (CAS 64742-	-94-5)			
<u>Acute</u>				
Inhalation				
LC50	Rat	6	1 mg/l, 4 Hours	
kin corrosion/irritation	Slightly irri	tating.		
Serious eye damage/eye rritation	Minimal ef	fects that do not meet the threshold for classif	fication.	
Respiratory or skin sensitizatio	on			
Respiratory sensitization	Based on a	available data, the classification criteria are no	ot met.	
Skin sensitization	Product ma	Product may cause skin sensitization.		
Germ cell mutagenicity	Based on a	available data, the classification criteria are no	ot met.	
Carcinogenicity	May cause	May cause cancer.		
IARC Monographs. Overall	Evaluation of	of Carcinogenicity		
Crystalline Silica (CAS 1 Naphthalene (CAS 91-2	14808-60-7) 0-3)	1 Carcinogenic to huma 2B Possibly carcinogeni es (29 CFR 1910.1001-1053)		
Crystalline Silica (CAS 1		Cancer		
US. National Toxicology Pr Crystalline Silica (CAS 1 Naphthalene (CAS 91-2	14808-60-7)	Known To Be Human Ca Known To Be Human Ca		
Reproductive toxicity	Based on a	available data, the classification criteria are no	C C	
Specific target organ toxicity -	Not classif			
ingle exposure				
Specific target organ toxicity - epeated exposure	May cause Liver. Kidn	e damage to organs through prolonged or repo leys. Blood. Respiratory tract. Lungs.	eated exposure. Central nervous syster	
Aspiration hazard	Not classif	ied.		
12. Ecological informatio	n			
Ecotoxicity	Very toxic	to aquatic life.		
Ecotoxicity	Very toxic	to aquatic life. to aquatic life with long lasting effects.		
cotoxicity Components	Very toxic		Test Results	
-	Very toxic Very toxic	to aquatic life with long lasting effects.	Test Results	
Components Tefluthrin (CAS 79538-32-2) Acute	Very toxic Very toxic	to aquatic life with long lasting effects. Species		
Components Tefluthrin (CAS 79538-32-2)	Very toxic Very toxic	to aquatic life with long lasting effects.	Test Results 4190 mg/kg, 14 days	
Components Tefluthrin (CAS 79538-32-2) Acute	Very toxic Very toxic	to aquatic life with long lasting effects. Species		
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i>	Very toxic Very toxic LD50	to aquatic life with long lasting effects. Species Duck	4190 mg/kg, 14 days	
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i> Crustacea	Very toxic Very toxic	to aquatic life with long lasting effects. Species Duck Daphnia magna	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i>	Very toxic Very toxic LD50	to aquatic life with long lasting effects. Species Duck	4190 mg/kg, 14 days	
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i> Crustacea Fish	Very toxic Very toxic LD50 EC50	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss)	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i> Crustacea Fish	Very toxic Very toxic LD50 EC50 LC50	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ble.	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) <i>Acute</i> Other Aquatic <i>Acute</i> Crustacea Fish	Very toxic Very toxic LD50 EC50 LC50 Not availat	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ble. ble.	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) Acute Other Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octa Tefluthrin	Very toxic Very toxic LD50 EC50 LC50 Not availat Not availat	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ble. ble. ble. ble.	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) Acute Other Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octa Tefluthrin Mobility in soil	Very toxic Very toxic LD50 EC50 LC50 Not availat Not availat	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ble. ble. ble. ble. ble. ble. ble. ble.	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Components Tefluthrin (CAS 79538-32-2) Acute Other Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octa Tefluthrin Mobility in soil Other adverse effects	Very toxic Very toxic LD50 EC50 LC50 Not availat Not availat nol / water (lo Low to slig Not availat	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ble. ble. ble. ble. ble. ble. ble. ble.	4190 mg/kg, 14 days 0.07 ppb, 48 hours	
Tefluthrin (CAS 79538-32-2) Acute Other Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octa	Very toxic Very toxic LD50 EC50 LC50 Not availal Not availal nol / water (la Low to slig Not availal Dispose of allow this r ditches wit	to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ole. ole. og Kow) 6.5 yht mobility in all soils tested. ole. this material and its container to hazardous of material to drain into sewers/water supplies. D h chemical or used container. Return the dam	4190 mg/kg, 14 days 0.07 ppb, 48 hours 0.06 ppb, 96 hours or special waste collection point. Do not on ot contaminate ponds, waterways chaged SmartBox® container to AMVAC	
Components Tefluthrin (CAS 79538-32-2) Acute Other Aquatic Acute Crustacea Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octa Tefluthrin Mobility in soil Other adverse effects 13. Disposal consideration	Very toxic Very toxic LD50 EC50 LC50 Not availat Not availat nol / water (lo Low to slig Not availat Dispose of allow this r ditches wit Chemical (to aquatic life with long lasting effects. Species Duck Daphnia magna Rainbow Trout (oncorhynchus mykiss) ole. ole. og Kow) 6.5 yht mobility in all soils tested. ole. this material and its container to hazardous of material to drain into sewers/water supplies. D	4190 mg/kg, 14 days 0.07 ppb, 48 hours 0.06 ppb, 96 hours or special waste collection point. Do not on ot contaminate ponds, waterways on haged SmartBox® container to AMVAC	

Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Empty or partially filled SmartCartridge containers should be returned to the retailer that the product was purchased from per instructions provided. Return unused product and empty SmartBox® containers containing residues to AMVAC Chemical Corporation. See the label on the box for more complete instructions. Dispose of container and residues in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty or partially filled SmartCartridge containers should be returned to the retailer that the product was purchased from per instructions provided. Empty SmartBox® containers should be returned to AMVAC Chemical Corporation per instructions provided. See the label on the container for more complete information.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ


UN number	UN3077
UN proper shipping name	Environmentally hazardous substances, solid, n.o.s. (Tefluthrin)
Transport hazard class(es)	
Class	9
Subsidiary risk	
Label(s)	9
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

IMDG

WDG	
UN number	UN3077
UN proper shipping name	Environmentally hazardous substances, solid, n.o.s. (Tefluthrin), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Гransport in bulk according to Annex II of MARPOL 73/78 and he IBC Code	Not applicable.

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

This product is not regulated when shipped by highway or rail in non-bulk packaging (maximum capacity of 400 kg (880 lb) or less). When shipped by air, vessel or in bulk packaging this product is regulated according to the data shown.

The classification of this product is based on the fact that the dust criteria found in 49CFR§173.132(b)(3) will not be met and therefore the Inhalation LC50 is not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION!

Harmful if absorbed through skin or eyes, swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

This product may pose a hazard to endangered aquatic species. Follow all use directions.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Naphthalene (CAS 91-20-3)

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline Silica (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

Superfund Amendments and R		f 1986 (SARA)		
SARA 302 Extremely hazar Not listed.	dous substance			
	N/			
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Acute toxicity (any Respiratory or skin Carcinogenicity Specific target orga		ed exposure)	
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Naphthalene		91-20-3	< 1	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air	Pollutants (HAPs) List		
Naphthalene (CAS 91-20 Clean Air Act (CAA) Section		Release Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Contains compone	nt(s) regulated under the S	Safe Drinking Water Act.	
US state regulations				
California Proposition 65				
		e you to Crystalline Silica, information go to www.P6	which is known to the State 55Warnings.ca.gov.	e of California to
California Proposition	65 - CRT: Listed date	e/Carcinogenic substanc	e	
Crystalline Silica (C Naphthalene (CAS		Listed: Octob Listed: April 1		
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Lipited States & Duarta Dias	•	Control Act (TSCA) Invent		No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	Sep-25-2020
Revision date	Sep-25-2020
Version #	1.0
HMIS® ratings	Health: 2* Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 1 Instability: 0

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2020 AMVAC Chemical Corporation. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation. All Rights Reserved.

Force is a registered trademark of Syngenta Crop Protection, Inc. SmartBox and SmartCartridge are trademarks owned by AMVAC Chemical Corporation. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists. CHEMTREC is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc.