FLEXSTAR®

Date: 6/18/2015 Replaces: 3/2/2015



1. PRODUCT IDENTIFICATION

Product identifier on label	FLEXSTAR®
Product No.:	A12967D
Use:	Herbicide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300
	Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Skin Sensitizer: Category 1B
Signal Word (OSHA):	Warning
Hazard Statements:	May cause an allergic skin reaction

Hazard Symbols:



Precautionary Statements:	Avoid breathing mist, vapors, spray.
	Contaminated work clothing must not be allowed out of the workplace.
	Wear protective gloves, protective clothing, eye protection.
	If on skin: Wash with plenty of soap and water.
	If skin irritation or rash occurs: Get medical advice.
	See Section 4 First Aid Measures.
	Wash contaminated clothing before reuse.
	Dispose of contents and container in accordance with local regulations.
Others I large and Ota taken and the	A loss of
Other Hazard Statements:	None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Other ingredients	Other ingredients	Trade Secret	77.9%
5-[2-chloro-4-(trifluoromethyl)phenoxy]-N- (methylsulfonyl)-2-nitrobenzamide, sodium salt	Fomesafen Sodium Salt	108731-70-0	22.1%

syngenta®

FLEXSTAR®

 Date:
 6/18/2015

 Replaces:
 3/2/2015

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Allergic skin reaction

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container, seal container and arrange for disposition.

FLEXSTAR®

Date: 6/18/2015 Replaces: 3/2/2015



7. HANDLING AND STORAGE

Precautions for safe handling:

Store above 32°F in original containers only. If product freezes, return to room temperature and agitate to reconstitute.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities: Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fomesafen Sodium Salt	Not Established	Not Established	2 mg/m³ TWA (based on Fomesafen Technical)	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light yellow transparent liquid Odor: Mild; paint-like Odor Threshold: Not Available

syngenta®

FLEXSTAR®

Date: 6/18/2015 3/2/2015 Replaces: pH: 7.00 (1% solution in deionized H2O @ 77°F [25°C]) Melting point/freezing point: Not Applicable Initial boiling point and boiling range: Not Available Flash Point (Test Method): > 216°F (Pensky-Martens CC) Flammable Limits (% in Air): Not Available Flammability: Not Applicable Vapor Pressure: Fomesafen Sodium Salt Not Available Vapor Density: Not Available Relative Density: 1.088 g/cm³ Solubility (ies): Fomesafen Sodium Salt Not Applicable Partition coefficient: n-octanol/water: Not Available Autoignition Temperature: 743°F Decomposition Temperature: Not Available Viscosity: Not Available Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive. Chemical stability: Stable under normal use and storage conditions. Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Rash, redness or itching

Delayed, immediate and chronic effects of exposure: Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 3863 mg/kg (based on results from similar product[s])
Dermal:	Dermal (LD50 Rat) :	> 2000 mg/kg (based on results from similar product[s])
Inhalation:	Inhalation (LC50 Rat) :	 > 2.1 mg/l air - 4 hours (based on results from similar product[s])



LEXST	AR®	
Date:	6/18/2015	
eplaces:	3/2/2015	
Eye Cor	ntact:	Mildly Irritating (Rabbit)
Skin Co	ntact:	Slightly Irritating (Rabbit)
Skin Sei	nsitization:	A moderate skin sensitizer in animal tests. (based on results from similar product[s])
Fomesa Hepatic	changes and a	<u>tal Effects</u> It: Non-genotoxic in in vitro and in vivo assays. a small effect on reproductive performance seen in a 3-generation rat study at the 1000 ppm dose esafen Technical).
Chronic/Su	bchronic Toxicit	ty Studies
Fomesa	at 25 mg/kg/d.	It: Liver effects seen at 10 pm and 100 ppm in 90-day rat feeding studies and in 6-month dog (based on Fomesafen Technical). oxicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical)
Fomesa studies No evid <u>Carcinogen</u> Fomesa	at 25 mg/kg/d. ence of neuroto <u>licity</u> afen Sodium Sa	(based on Fomesafen Technical).
Fomesa studies No evid <u>Carcinogen</u> Fomesa	at 25 mg/kg/d. ence of neuroto <u>licity</u> afen Sodium Sa are not conside	(based on Fomesafen Technical). oxicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a	at 25 mg/kg/d. ence of neuroto <u>licity</u> afen Sodium Sa are not conside lame	(based on Fomesafen Technical). oxicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical).
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a <u>Chemical N</u> Other ingre 5-[2-chloro-	at 25 mg/kg/d. ence of neuroto afen Sodium Sa are not conside ame dients -4-(trifluorometh	(based on Fomesafen Technical). oxicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen
Fomesa studies No evid <u>Carcinogen</u> Fomesa results <u>Chemical N</u> Other ingre 5-[2-chloro- (methylsulfo	at 25 mg/kg/d. ence of neuroto afen Sodium Sa are not conside ame dients -4-(trifluorometh	(based on Fomesafen Technical). Exicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) Alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen No hyl)phenoxy]-N- No
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a <u>Chemical N</u> Other ingre 5-[2-chloro- (methylsulfe <u>Other Toxic</u> None <u>Toxicity of C</u>	at 25 mg/kg/d. ence of neuroto afen Sodium Sa are not conside lame dients -4-(trifluorometh onyl)-2-nitroben	(based on Fomesafen Technical). Exicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) Alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen No hyl)phenoxy]-N- No hzamide, sodium salt
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a <u>Chemical N</u> Other ingre 5-[2-chloro- (methylsulfo <u>Other Toxic</u> None <u>Toxicity of C</u> Other in <u>Target Orga</u>	at 25 mg/kg/d. ence of neuroto <u>icity</u> afen Sodium Sa are not conside ame dients -4-(trifluorometh onyl)-2-nitroben ity Information <u>Other Componen</u> gredients Not Applicable	(based on Fomesafen Technical). Exicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) Alt: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen No hyl)phenoxy]-N- No hzamide, sodium salt
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a <u>Chemical N</u> Other ingre 5-[2-chloro- (methylsulfo <u>Other Toxic</u> None <u>Toxicity of C</u> <u>Other in</u> <u>Target Orga</u> <u>Active In</u>	at 25 mg/kg/d. ence of neuroto <u>icity</u> afen Sodium Sa are not conside lame dients -4-(trifluorometh onyl)-2-nitroben ity Information <u>Other Componen</u> gredients Not Applicable ans agredients	(based on Fomesafen Technical). Exicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) It: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen No nyl)phenoxy]-N- No izamide, sodium salt
Fomesa studies No evid <u>Carcinogen</u> Fomesa results a <u>Chemical N</u> Other ingre 5-[2-chloro- (methylsulfo <u>Other Toxic</u> None <u>Toxicity of C</u> <u>Other in</u> <u>Target Orga</u> <u>Active In</u>	at 25 mg/kg/d. ence of neuroto <u>iicity</u> afen Sodium Sa are not conside ame dients -4-(trifluorometh onyl)-2-nitroben <u>ity Information</u> <u>Other Componen</u> gredients Not Applicable ans agredients fen Sodium Sal	(based on Fomesafen Technical). Exicity from subacute or longer-term studies in mammals. (based on Fomesafen Technical) It: Increased rates of malignant liver tumors in a 2-yr mouse feeding study (1000 ppm), but the red relevant to man. (based on Fomesafen Technical). NTP/IARC/OSHA Carcinogen No hyl)phenoxy]-N- No izamide, sodium salt

Eco-Acute Toxicity

Fomesafen Sodium Salt:
Fish (Rainbow Trout) 96-hour LC50 680 ppm
Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 294 ppm
Bird (Mallard Duck) 14-day LD50 > 5000 mg/kg
The above ecotoxicity data are based on Fomesafen Technical, not Fomesafen Sodium Salt

Environmental Fate

FLEXSTAR®

Date: 6/18/2015 Replaces: 3/2/2015 syngenta®

Fomesafen Sodium Salt:

The information presented here is for the active ingredient, fomesafen. Persistent in soil. Stable in water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA Not regulated

Comments

Water Transport - International Not regulated

Air Transport Not regulated

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Do not get on skin or on clothing. Avoid breathing vapor or spray mist. Avoid contact with eyes. Prolonged or repeated skin contact may cause allergic reactions in some individuals. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

EPA Registration Number(s):

100-1101

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes:	Acute Health Hazard			
	Chronic Health Hazard			
Section 313 Toxic Chemicals:	Fomesafen Sodium Salt	22.1%	(CAS No.	108731-70-0)

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Safety Data Sheet synger					syngenta®
FLEXSTAR®					
Date: 6/18/201 Replaces: 3/2/201	-				
Not Applicable TSCA Status: Exempt from TSCA, sub	pject to FIFRA				
16. OTHER INFORMATION					
NFPA Hazard Ratings		HMIS Hazard Ratings		0	Minimal
Health:	2	Health:	2	1	Slight
Flammability:	1	Flammability:	1	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
Syngenta Ha	zard Category: C,	S		4 *	Extreme Chronic
	For non-	emergency questions al	pout this product cal	I:	
		1-800-334-94	81		
Original Issued Date: Revision Date:	10/11/2007 6/18/2015	Replaces:	3/2/2015		
Section(s) Revised:	2, 4, 11				
	ntee or warranty of	s contained herein are b any kind, expressed or			