SAFETY DATA SHEET



1. Identification

Product identifier FOLI-GRO SUPER MN

Other means of identification None

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ammonium Sulfate		7783-20-2	10 - < 20
EDTA Acid		60-00-4	10 - < 20
Manganese Sulfate		7785-87-7	5 - < 10
Ammonia		7664-41-7	1 - < 3

Material name: FOLI-GRO SUPER MN

SDS US

Chemical name	Common name and synonyms	CAS number	%
Potassium Hydroxide		1310-58-3	1 - < 3
Other components below i	reportable levels		60 - < 70

Percentage ranges of composition to protect confidentiality or due to batch variation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: FOLI-GRO SUPER MN SDS US 2/8

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
Manganese Sulfate (CAS 7785-87-7)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Ammonia (CAS 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
Manganese Sulfate (CAS 7785-87-7)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
Potassium Hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	·
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
Manganese Sulfate (CAS 7785-87-7)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
Potassium Hydroxide (CAS 1310-58-3)	TWA	2 mg/m3	
logical limit values	No biological exposure limits noted f	for the ingredient(s)	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Brown liquid. Liquid. Physical state Liquid. **Form** Brown Color Odorless. Odor **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available.

Material name: FOLI-GRO SUPER MN

Not available. Initial boiling point and boiling

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Miscible Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Density 9.76 lb/gal Specific gravity 1.17

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. Skin contact

Causes serious eye irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Material name: FOLI-GRO SUPER MN SDS US Components Species Test Results

Ammonia (CAS 7664-41-7)

<u>Acute</u>

Inhalation Vapor

LC50 Mouse 4230 ppm, 1 Hours

LC50 Rat 19590 mg/l

18693 mg/m3, 5 Minutes

11590 mg/m3

Oral

LD50 Rat 350 mg/kg

Ammonium Sulfate (CAS 7783-20-2)

Acute Dermal

LD50 Mouse > 2000 mg/kg

Rat > 2000 mg/kg

Oral

LD50 Mouse > 2000 mg/kg

Rat 4250 mg/kg

EDTA Acid (CAS 60-00-4)

Acute Oral

LD50 Rat 4500 mg/kg

Manganese Sulfate (CAS 7785-87-7)

Acute Oral

LD50 Mouse 2330 mg/kg

Rat 2150 mg/kg

Potassium Hydroxide (CAS 1310-58-3)

Acute Oral

LD50 Rat 388 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not classified.

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ toxicity - repeated

exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with government regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number

UN proper shipping name

Environmentally hazardous substance, liquid, n.o.s. solution (Manganese Sulfate)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes 9L **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number

UN3082

Not established.

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. SOLUTION (Manganese Sulfate), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards**

> Yes Marine pollutant F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonia (CAS 7664-41-7)

EDTA Acid (CAS 60-00-4)

Manganese Sulfate (CAS 7785-87-7)

Potassium Hydroxide (CAS 1310-58-3)

Listed.

SARA 304 Emergency release notification

Ammonia (CAS 7664-41-7) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)

Ammonia 7664-41-7 100 500

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
AMMONIA (INCLUDES ANHYDROUS AM	IMONIA AND83-20-2	10 - < 20
AQUEOUS AMMONIA FROM WATER DIS	SSOCIABLE	
AMMONIUM SALTS AND OTHER SOURCE	CES; 10% OF	
TOTAL AQUEOUS AMMONIA IS REPOR	TABLE	
UNDER THIS LISTING)		
MANGANESE COMPOUNDS	7785-87-7	5 - < 10

Material name: FOLI-GRO SUPER MN

SDS US

1042 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016

Chemical name CAS number % by wt.

AMMONIA (INCLUDES ANHYDROUS AMMONIA AM664-41-7 AQUEOUS AMMONIA FROM WATER DISSOCIABLE AMMONIUM SALTS AND OTHER SOURCES: 10% OF TOTAL AQUEOUS AMMONIA IS REPORTABLE

UNDER THIS LISTING)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate (CAS 7785-87-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia (CAS 7664-41-7)

Safe Drinking Water Act

Not regulated.

Inventory name

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

1 - < 3

Ammonia (CAS 7664-41-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Australian Inventory of Chemical Substances (AICS)

International Inventories

Australia

Country(s) or region

raditalia	raditalian inventory of enermous capataneous (race)	100
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Toxic Substances Control Act (TSCA) Inventory

country(s).

16. Other information, including date of preparation or last revision

02-23-2016 Issue date **Revision date** 09-26-2017

Version # 02 NFPA ratings

United States & Puerto Rico

Health: 2 Flammability: 0

1042 Version #: 02 Revision date: 09-26-2017 Issue date: 02-23-2016

Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: FOLI-GRO SUPER MN SDS US

On inventory (yes/no)*

Vec

Yes