

RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL, ACUTE DERMAL, ACUTE INHALATION, PRIMARY DERMAL AND PRIMARY EYE TOXICITY
For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator,
and only for those uses covered by the Certified Applicator's certification.



FIFRA 24(c) SLN
For distribution and use only within
the state of California

FIFRA 24(c) SPECIAL LOCAL NEED LABEL

FOR USE ON SNAP and LIMA BEANS FOR CONTROL OF NEMATODES & GARDEN SYMPHYLANS

MOCAP[®] EC Nematicide-Insecticide



KEEP OUT OF REACH OF CHILDREN
DANGER POISON
PELIGRO



THIS LABEL EXPIRES AND SHALL NOT BE DISTRIBUTED OR USED IN ACCORDANCE WITH THE SLN REGISTRATION AFTER
APRIL 30, 2027.

EPA REG. NO. 5481-9041

EPA SLN NO. CA-060007

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions and precautions on EPA-registered label for Mocap EC Nematicide-Insecticide (EPA Reg. No. 5481-9041) and this label.

BEANS (Snap & Lima)

RATE OF MOCAP EC				
APPLICATION TIMING	PESTS CONTROLLED	BANDED FL OZ/ 1000 ROW FEET	BROADCAST GALLONS PER ACRE	APPLICATION DIRECTIONS
At planting or Up to 3 days before planting	Nematodes Garden symphylans	2 to 3.9	1 to 1½	Band: Apply in a 12 to 15 inch band on the row and immediately incorporate with 2 to 4 inches of soil, or apply as a shank or injecting into the soil about 1 to 2 inches to the side of the seed. Do not use as a seed furrow treatment or allow spray to contact the seed or phytotoxicity may occur. Broadcast: Apply using the indicated broadcast rate per acre and immediately mix with the top 2 to 4 inches of soil.
	Garden symphylans	2 to 3.9	⅓ to ½ (or 1½ to 2 quarts)	

Note: Beans grown in treated soil may remain green longer than other beans and mature 1 to 2 weeks later. Make only one application per crop.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminant, butyl rubber (≥ 14 mils), nitrile rubber (≥ 14 mils) or Viton (≥ 14 mils). If you want more options, follow the instructions for category F on an EPA chemical-resistant category selection chart.

Mixers, loaders, applicators, and other handlers using engineering controls must wear:

- long-sleeved shirt and long pants, and
- shoes plus socks.

In addition, mixers and loaders must wear chemical-resistant gloves and a chemical-resistant apron.

See engineering controls for additional requirements.

Handlers engaged in those activities for which use of an engineering control is not possible, such as cleaning up a spill or leak and cleaning or repairing contaminated equipment, must wear:

- coveralls over long-sleeved shirt and long pants,
- chemical-resistant gloves,
- protective eyewear,
- chemical-resistant footwear plus socks,
- chemical-resistant apron if exposed to the concentrate,
- chemical-resistant headgear for overhead exposure, and
- a respirator with an organic-vapor removing cartridge with a prefilter (MSHA/NIOSH approval number prefix TC 23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any N,R,P or HE-filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

Mixers and loaders must use a mechanical transfer system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)] for providing dermal and inhalation protection. The system must be capable of removing the pesticide from the shipping container and transferring it into mixing tanks and/or application equipment. At any disconnect point, the system must be equipped with a dry disconnect or dry couple shut-off device that is warranted by the manufacturer to minimize drippage to not more than 2 ml (0.068 oz.) per disconnect point.

In addition, mixers and loaders must:

- wear the personal protective equipment required in the PPE section of this labeling for mixer/loaders,
- wear protective eyewear if the system operates under pressure,
- be provided with, must have immediately available for use, and must wear in case of an emergency, such as a broken package or spill, the PPE specified in the PPE section of this labeling for handlers engaged in those activities for which use of an engineering control is not possible.

Applicators using motorized ground equipment must use an enclosed cab that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(5)] for dermal protection. In addition, applicators must:

- wear the personal protective equipment required in the PPE section of this labeling for applicators
- *either* wear the type of respirator specified in the PPE section of this labeling *or* use an enclosed cab that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling,
- be provided with, must have immediately available for use, and must wear in case of an emergency when they must exit the cab, the PPE specified in the PPE section of this labeling for handlers engaged in those activities for which use of an engineering control is not possible,
- take off any PPE that was worn in the treated area before reentering the cab, and
- store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

RESTRICTIONS and PRECAUTIONS

- Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks, and recreation areas, non-target crops, aquatic and wetland areas, woodlands, pastures, rangelands or animals.
- Apply through ground equipment only. Do not apply by air or through irrigation systems.
- Do not graze livestock in treated areas.
- Post “Danger, Skull and Crossbones” warning signs at all entrances to treated area.
- To protect endangered avian species, do not use this product in areas of known species occurrence and during the breeding season in those areas.

24(c) Registrant:

AMVAC Chemical Corporation
4695 MacArthur Court, Suite 1200
Newport Beach, CA 92660 U.S.A.
1-888-462-6822